



Superior Glide

FURNITURE FLOOR PROTECTION

Product Catalog and Technical Specifications

September 2026 · 1,027 standard variations · superiorglide.com

Contents

Furniture Glides	5	Conical Head Round Tube Plugs	33	Low-Profile with Pad	57
Round Nail-On	6	Domed Head Round Tube Plugs	34	Notched Thread Low-Profile	57
Square Nail-On	7	Half-Sphere Head Round Tube Plugs	35	Ultra-Low Profile	58
Rectangular Nail-On	7	Anti-Slip Round Tube Plugs	35	Wide-Base	58
Round Self-Adhesive	8	Pad Slot Round Tube Plugs	36	Wide-Base Anti-Slip	59
Square Self-Adhesive	9	Angled Round Tube Plugs	36	Slim Base	59
Rectangular Self-Adhesive	9	Round End Caps	37	Mini Base	60
Round Anti-Slip Nail-On	10	Square Tube Plugs	37	Smooth-Base	60
Square Anti-Slip Nail-On	11	Square End Caps	39	Smooth-Base Hex-Key	61
Rectangular Anti-Slip Nail-On	11	Rectangular Tube Plugs	39	Self-Leveling Tilt	61
Round Anti-Slip Self-Adhesive	12	Smooth Fit Rectangular Tube Plugs	41	Notched Thread Standard Base	62
Square Anti-Slip Self-Adhesive	13	Rectangular Tube Plugs with Pad	42	Ball-Joint	62
Rectangular Anti-Slip Self-Adhesive	13	Angled Rectangular Tube Plugs	42	Stainless Steel Rod Standard Base	63
		Half-Oval Tube Plugs	43	Stainless Steel Rod Low-Profile	63
Furniture Slides	14	Oval Tube Plugs	43	Anti-Slip Stainless Steel	64
Round Nail-On	15	Extended Oval Tube Plugs	44		
Square Nail-On	15	Domed Oval Tube Plugs	45	Sled Base Glides & Furniture Feet	65
Rectangular Nail-On	16	Angled Oval Tube Plugs	45	Round Tube — Rectangular Base	66
Round Self-Adhesive	16	Angled Oval Tube Plugs with Pad Slot	46	Round Tube — Square Base	66
Square Self-Adhesive	17	Ellipse Tube Plugs	46	Round Tube — Round Base (Pad Slot)	67
Rectangular Self-Adhesive	17	Domed Ellipse Tube Plugs	47	Round Tube — Square Base (Pad Slot)	67
		Thin Head Ellipse Tube Plugs	47	Round Tube — Rectangular Base (Pad Slot)	68
Furniture Pads	18			Round Tube Corner — Rectangular Base	68
Round Self-Adhesive	19	Threaded Inserts	48	Round Tube Corner — Rectangular Base (Single Screw)	69
Square Self-Adhesive	20	Round	49	Round Tube Corner — Rectangular Base (Pad Slot)	69
Rectangular Self-Adhesive	21	Extended Round	49	Round Tube Clip-On — Rectangular Base	70
Round Heavy-Duty Self-Adhesive	23	Square	50	Round Tube End — Rectangular Base (Pad Slot)	70
Square Heavy-Duty Self-Adhesive	24	Extended Square	51	Rectangular Tube End — Rectangular Base	71
Rectangular Heavy-Duty Self-Adhesive	25	Stainless Steel Square	51	Oval Tube End — Rectangular Base	71
Round Foam Self-Adhesive	27	Rectangular	52	Flat-Bottom Nail-On — Rectangular Base	72
Square Foam Self-Adhesive	28			Round Furniture Feet	72
Rectangular Foam Self-Adhesive	29	Adjustable Leveling Feet	53		
		Standard Base	54		
Tube Plugs & End Caps	31	Standard Base with Pad	55		
Round Tube Plugs	32	Low-Profile	56		

How to use this catalog

Reading the tables

Every dimension is given in millimeters with inches in small type beside it. Each column header carries a letter code and its meaning in words, and the same letter marks the same feature on the drawing beside the table and on every other drawing in this catalog. Weights are grams per piece. An SL figure marked ≈ is estimated from the nearest tested size in the same range and should be confirmed for critical loads.

CODE	MEANS	CODE	MEANS
Ø	the part's own diameter	L, W, H	length, width, height
Ø1	fixing hole, rivet or pin	H1, H2	second and third height
Ø2	counterbore for that hole	L1, W1	pad or pad slot
Ø3	tube or runner it fits	L3, W3	tube it fits
Ø4	round pad slot	L2	fixing center from the end
T	tube wall it grips	C	center-to-center of the fixings
M	thread size	P	pad diameter
α	angle	SL	static load per piece

Colors listed are the standard options for that size. Black is RAL 9005, gray RAL 7040, white RAL 9003, anthracite RAL 7016, blue RAL 5005.

Every table carries the part number used on superiorglide.com, and each family lists its web address, where the same items can be ordered directly or requested for quotation.

Ordering

Every item in this catalog is made to order in production quantities. Sizes, shapes and colors outside the tables are also available against an agreed minimum quantity. Business accounts carry volume pricing, net terms, saved reorders and a named contact. Free samples are available to verified businesses so fit can be confirmed before a full order. Orders ship nationwide.

Choosing the right product

FLOOR	LEG	USE
Hard floor	Solid wood	Nail-on glide
Hard floor	Metal, plastic, flat closed base	Self-adhesive glide or pad
Carpet or rug	Solid wood	Nail-on slide
Carpet or rug	Metal, plastic, flat closed base	Self-adhesive slide
Any	Open steel tube	Tube plug, or threaded insert and leveling foot
Any	Sled or cantilever runner	Sled base glide
Polished floor, furniture must not move	Any	Anti-slip glide

Sizing

The next page gives the leg-size range each glide covers and the sizing rule for pads.

Materials

PA6 needle-punched nylon fiber face, pile density 1,450 g/m². **ABS** impact-resistant body. **Zinc-plated steel** tubular rivet. **EHB** acrylic foam adhesive. **EHB** high-bond adhesive tape. **Nylon (PA)** plugs, feet and saddle bases. **Polyethylene (PE)** ribbed tube plugs. **Acetal (POM)** mini feet. **NR** natural rubber anti-slip face. **TPE** thermoplastic rubber. **Galvanized** and **stainless** steel rods and inserts.

Which size fits which leg

Glides and slides

Each glide size covers a range of leg sizes upward from its own dimension. The rule is flush or slightly smaller, never larger: an overhanging rim gives a rug edge or threshold something to catch. Measure the leg base at its widest point; on a tapered leg, measure the very bottom.

SHAPE	GLIDE SIZE	FITS LEG BASE
Round	Ø 23 mm (0.91")	Ø 23–27 mm (0.91–1.06")
Round	Ø 28 mm (1.10")	Ø 28–37 mm (1.10–1.46")
Round	Ø 38 mm (1.50")	Ø 38–49 mm (1.50–1.93")
Round	Ø 50 mm (1.97")	Ø 50–74 mm (1.97–2.91")
Round	Ø 75 mm (2.95")	Ø 75–95 mm (2.95–3.74")
Square	23 × 23 mm (0.91")	23 × 23 – 27 × 27 mm
Square	28 × 28 mm (1.10")	28 × 28 – 37 × 37 mm
Square	38 × 38 mm (1.50")	38 × 38 – 49 × 49 mm
Square	50 × 50 mm (1.97")	50 × 50 – 74 × 74 mm
Square	75 × 75 mm (2.95")	75 × 75 – 95 × 95 mm
Rectangular	33 × 19 mm (1.30 × 0.75")	33 × 19 – 40 × 25 mm (1.30 × 0.75 – 1.57 × 0.98")

The same table applies to nail-on and self-adhesive glides and to anti-slip glides. Slides for carpet stop at 50 mm; there is no 75 mm slide. Worked examples: a 30 mm chair leg takes the 28 mm glide; a 55 mm table leg takes the 50 mm square. A printable size guide at actual scale is available on superiorglide.com.

Pads

Pads cover a far wider range than glides, so rather than a list the rule is simple: measure the leg base and take the largest pad that still sits within it. Pick shape and construction first; every size for that combination is in its table.

SHAPE	RANGE	STEPS
Round	Ø 12–300 mm (0.47–11.81")	10 mm steps above 30 mm, finer below
Square	20 × 20 – 300 × 300 mm (0.79–11.81")	10 mm steps above 30 mm
Rectangular	20 × 30 – 300 × 300 mm, strips to 510 mm (20.08")	Long strips for continuous bases and sled runners

Legs over 300 mm take a strip or a made-to-order size.

Tube plugs and inserts

Measure the tube's outside dimension and its wall thickness; the plug size is the outside dimension, and the W code at the end of the part number is the wall range it grips — W1020 fits a 1.0–2.0 mm wall. When in doubt, send the tube dimensions and a photo of the leg end.

Leveling feet

Match the thread (M) to the insert or nut already in the leg, then choose base diameter by load: the SL column is the static load per foot. Thread length (L) is the usable adjustment; the notched-rod versions are for legs where the rod is set from above.

FOR HARD FLOORS



Furniture Glides

Glides for hardwood, LVP, tile, laminate, stone and concrete. A needle-punched PA6 fiber face on a rigid ABS body. Nail-on glides fix with a zinc-plated steel tubular rivet that taps into solid wood with no pre-drilling and does not spin in the leg, which is why square and rectangular shapes are possible. Self-adhesive glides bond to metal, plastic and any flat, closed leg base. Anti-slip glides carry a natural rubber face for furniture that must stay where it is put.

Choose the glide that is flush with or slightly smaller than the leg base, never larger. Foam backing (EHBf) is fitted on the 50 mm and 75 mm nail-on sizes only.

Round Nail-On Furniture Glides

Square Nail-On Furniture Glides

Rectangular Nail-On Furniture Glides

Round Self-Adhesive Furniture Glides

Square Self-Adhesive Furniture Glides

Rectangular Self-Adhesive Furniture Glides

Round Anti-Slip Nail-On Furniture Glides

Square Anti-Slip Nail-On Furniture Glides

Rectangular Anti-Slip Nail-On Furniture Glides

Round Anti-Slip Self-Adhesive Furniture Glides

Square Anti-Slip Self-Adhesive Furniture Glides

Rectangular Anti-Slip Self-Adhesive Furniture Glides

44 STANDARD VARIATIONS

FURNITURE GLIDES

Round Nail-On Furniture Glides

Solid wood legs · hard floors

Ø DIAMETER	H HEAD HEIGHT	H1 RIVET LENGTH	Ø1 RIVET Ø	g WEIGHT	Part no.
23 0.91"	12 0.47"	5.5 0.22"	9.2 0.36"	2.5	FGSN.23.RD
28 1.10"	12 0.47"	5.5 0.22"	9.2 0.36"	3.4	FGSN.28.RD
38 1.50"	12 0.47"	5.5 0.22"	9.2 0.36"	6.5	FGSN.38.RD
50 1.97"	12 0.47"	5.5 0.22"	9.2 0.36"	12.8	FGSN.50.RD
75 2.95"	12 0.47"	5.5 0.22"	9.2 0.36"	28.1	FGSN.75.RD



MATERIALS PA6 needle-punched fiber, ABS body, zinc-plated steel tubular rivet **COLOR** Black

NOTE The 50 mm and 75 mm sizes add an acrylic foam backing (EHBf); the other sizes do not. **VARIATIONS** 5


ONLINE superiorglide.com/product/round-nail-on-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Square Nail-On Furniture Glides

Solid wood legs · hard floors

L LENGTH	W WIDTH	H HEAD HEIGHT	H1 RIVET LENGTH	Ø1 RIVET Ø	g WEIGHT	Part no.
23 0.91"	23 0.91"	12 0.47"	5.5 0.22"	9.2 0.36"	3.2	FGSN.23.SQ
28 1.10"	28 1.10"	12 0.47"	5.5 0.22"	9.2 0.36"	4.3	FGSN.28.SQ
38 1.50"	38 1.50"	12 0.47"	5.5 0.22"	9.2 0.36"	6.5	FGSN.38.SQ
50 1.97"	50 1.97"	12 0.47"	5.5 0.22"	9.2 0.36"	16.3	FGSN.50.SQ
75 2.95"	75 2.95"	12 0.47"	5.5 0.22"	9.2 0.36"	36	FGSN.75.SQ



MATERIALS PA6 needle-punched fiber, ABS body, zinc-plated steel tubular rivet **COLOR** Black

NOTE The 50 × 50 mm and 75 × 75 mm sizes add an acrylic foam backing (EHBf); the other sizes do not. **VARIATIONS** 5

ONLINE superiorglide.com/product/square-nail-on-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Rectangular Nail-On Furniture Glides

Solid wood legs · hard floors

L LENGTH	W WIDTH	H HEAD HEIGHT	H1 RIVET LENGTH	Ø1 RIVET Ø	g WEIGHT	Part no.
33 1.30"	19 0.75"	12 0.47"	5.5 0.22"	9.2 0.36"	3.5	FGSN.019.033



MATERIALS PA6 needle-punched fiber, ABS body, zinc-plated steel tubular rivet **COLOR** Black **VARIATIONS** 1

ONLINE superiorglide.com/product/rectangular-nail-on-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Round Self-Adhesive Furniture Glides

Metal, plastic and flat closed legs · hard floors

Ø DIAMETER	H HEIGHT	g WEIGHT	Part no.
23 0.91"	12 0.47"	2.5	FGSA . 23 . RD
28 1.10"	12 0.47"	3.4	FGSA . 28 . RD
38 1.50"	12 0.47"	6.5	FGSA . 38 . RD
50 1.97"	12 0.47"	12.8	FGSA . 50 . RD
75 2.95"	12 0.47"	28.1	FGSA . 75 . RD



MATERIALS PA6 needle-punched fiber, ABS body, acrylic foam adhesive (EHBf)

COLOR Black

VARIATIONS 5

ONLINE superiorglide.com/product/round-self-adhesive-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Square Self-Adhesive Furniture Glides

Metal, plastic and flat closed legs · hard floors

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
23 0.91"	23 0.91"	12 0.47"	3.2	FGSA.23.SQ
28 1.10"	28 1.10"	12 0.47"	4.3	FGSA.28.SQ
38 1.50"	38 1.50"	12 0.47"	6.5	FGSA.38.SQ
50 1.97"	50 1.97"	12 0.47"	16.3	FGSA.50.SQ
75 2.95"	75 2.95"	12 0.47"	36	FGSA.75.SQ



MATERIALS PA6 needle-punched fiber, ABS body, acrylic foam adhesive (EHBf)

COLOR Black

VARIATIONS 5


ONLINE superiorglide.com/product/square-self-adhesive-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Rectangular Self-Adhesive Furniture Glides

Metal, plastic and flat closed legs · hard floors

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
33 1.30"	19 0.75"	12 0.47"	3.5	FGSA.019.033



MATERIALS PA6 needle-punched fiber, ABS body, acrylic foam adhesive (EHBf)

COLOR Black

VARIATIONS 1


ONLINE superiorglide.com/product/rectangular-self-adhesive-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Round Anti-Slip Nail-On Furniture Glides

Natural rubber face · keeps furniture in place

Ø DIAMETER	H HEAD HEIGHT	H1 RIVET LENGTH	Ø1 RIVET Ø	g WEIGHT	Part no.
23 0.91"	12 0.47"	5.5 0.22"	9.2 0.36"	2.5	FGSASN . 23 . RD
28 1.10"	12 0.47"	5.5 0.22"	9.2 0.36"	3.4	FGSASN . 28 . RD
38 1.50"	12 0.47"	5.5 0.22"	9.2 0.36"	6.5	FGSASN . 38 . RD
50 1.97"	12 0.47"	5.5 0.22"	9.2 0.36"	12.8	FGSASN . 50 . RD
75 2.95"	12 0.47"	5.5 0.22"	9.2 0.36"	28.1	FGSASN . 75 . RD



MATERIALS natural rubber (NR) face, ABS body, zinc-plated steel tubular rivet **COLOR** Black

NOTE The 50 mm and 75 mm sizes add an acrylic foam backing (EHBf); the other sizes do not. **VARIATIONS** 5


ONLINE superiorglide.com/product/round-anti-slip-nail-on-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Square Anti-Slip Nail-On Furniture Glides

Natural rubber face · keeps furniture in place

L LENGTH	W WIDTH	H HEAD HEIGHT	H1 RIVET LENGTH	Ø1 RIVET Ø	g WEIGHT	Part no.
23 0.91"	23 0.91"	12 0.47"	5.5 0.22"	9.2 0.36"	3.2	FGSASN.23.SQ
28 1.10"	28 1.10"	12 0.47"	5.5 0.22"	9.2 0.36"	4.3	FGSASN.28.SQ
38 1.50"	38 1.50"	12 0.47"	5.5 0.22"	9.2 0.36"	6.5	FGSASN.38.SQ
50 1.97"	50 1.97"	12 0.47"	5.5 0.22"	9.2 0.36"	16.3	FGSASN.50.SQ
75 2.95"	75 2.95"	12 0.47"	5.5 0.22"	9.2 0.36"	36	FGSASN.75.SQ



MATERIALS natural rubber (NR) face, ABS body, zinc-plated steel tubular rivet **COLOR** Black

NOTE The 50 × 50 mm and 75 × 75 mm sizes add an acrylic foam backing (EHBf); the other sizes do not. **VARIATIONS** 5


ONLINE superiorglide.com/product/square-anti-slip-nail-on-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Rectangular Anti-Slip Nail-On Furniture Glides

Natural rubber face · keeps furniture in place

L LENGTH	W WIDTH	H HEAD HEIGHT	H1 RIVET LENGTH	Ø1 RIVET Ø	g WEIGHT	Part no.
33 1.30"	19 0.75"	12 0.47"	5.5 0.22"	9.2 0.36"	3.5	FGSASN.019.033



MATERIALS natural rubber (NR) face, ABS body, zinc-plated steel tubular rivet **COLOR** Black **VARIATIONS** 1


ONLINE superiorglide.com/product/rectangular-anti-slip-nail-on-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Round Anti-Slip Self-Adhesive Furniture Glides

Natural rubber face · self-adhesive

Ø DIAMETER	H HEIGHT	g WEIGHT	Part no.
23 0.91"	12 0.47"	2.5	FGSASA . 23 . RD
28 1.10"	12 0.47"	3.4	FGSASA . 28 . RD
38 1.50"	12 0.47"	6.5	FGSASA . 38 . RD
50 1.97"	12 0.47"	12.8	FGSASA . 50 . RD
75 2.95"	12 0.47"	28.1	FGSASA . 75 . RD



MATERIALS natural rubber (NR) face, ABS body, acrylic foam adhesive (EHBf)

COLOR Black

VARIATIONS 5

ONLINE superiorglide.com/product/round-anti-slip-self-adhesive-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Square Anti-Slip Self-Adhesive Furniture Glides

Natural rubber face · self-adhesive

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
23 0.91"	23 0.91"	12 0.47"	3.2	FGSASA . 23 . SQ
28 1.10"	28 1.10"	12 0.47"	4.3	FGSASA . 28 . SQ
38 1.50"	38 1.50"	12 0.47"	6.5	FGSASA . 38 . SQ
50 1.97"	50 1.97"	12 0.47"	16.3	FGSASA . 50 . SQ
75 2.95"	75 2.95"	12 0.47"	36	FGSASA . 75 . SQ



MATERIALS natural rubber (NR) face, ABS body, acrylic foam adhesive (EHBf)

COLOR Black

VARIATIONS 5


ONLINE superiorglide.com/product/square-anti-slip-self-adhesive-furniture-glides-for-hard-floors/

FURNITURE GLIDES

Rectangular Anti-Slip Self-Adhesive Furniture Glides

Natural rubber face · self-adhesive

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
33 1.30"	19 0.75"	12 0.47"	4.4	FGSASA . 019 . 033



MATERIALS natural rubber (NR) face, ABS body, acrylic foam adhesive (EHBf)

COLOR Black

VARIATIONS 1

ONLINE superiorglide.com/product/rectangular-anti-slip-self-adhesive-furniture-glides-for-hard-floors/

FOR CARPET AND RUGS



Furniture Slides

A smooth molded ABS face with formed edges that lets chairs and tables move easily over carpet and rugs. Same rivet and body construction as the glides, with no fiber face. Slides are made up to 50 mm.

Do not use slides on hard floors, and do not use fiber-faced glides on carpet.

Round Nail-On Furniture Slides

Square Nail-On Furniture Slides

Rectangular Nail-On Furniture Slides

Round Self-Adhesive Furniture Slides

Square Self-Adhesive Furniture Slides

Rectangular Self-Adhesive Furniture Slides


18 STANDARD VARIATIONS

FURNITURE SLIDES

Round Nail-On Furniture Slides

Solid wood legs · carpet and rugs

Ø DIAMETER	H HEAD HEIGHT	H1 RIVET LENGTH	Ø1 RIVET Ø	g WEIGHT	Part no.
23 0.91"	7.6 0.30"	5.5 0.22"	9.2 0.36"	3.4	FSHN . 23 . RD
28 1.10"	7.6 0.30"	5.5 0.22"	9.2 0.36"	3.6	FSHN . 28 . RD
38 1.50"	7.6 0.30"	5.5 0.22"	9.2 0.36"	6.4	FSHN . 38 . RD
50 1.97"	7.6 0.30"	5.5 0.22"	9.2 0.36"	11.3	FSHN . 50 . RD



MATERIALS ABS body, zinc-plated steel tubular rivet **COLOR** Black **NOTE** The 50 mm size adds an acrylic foam backing (EHBf); the other sizes do not.


VARIATIONS 4 **ONLINE** superiorglide.com/product/round-nail-on-furniture-slides-for-carpet/

FURNITURE SLIDES

Square Nail-On Furniture Slides

Solid wood legs · carpet and rugs

L LENGTH	W WIDTH	H HEAD HEIGHT	H1 RIVET LENGTH	Ø1 RIVET Ø	g WEIGHT	Part no.
23 0.91"	23 0.91"	7.6 0.30"	5.5 0.22"	9.2 0.36"	4	FSHN . 23 . SQ
28 1.10"	28 1.10"	7.6 0.30"	5.5 0.22"	9.2 0.36"	5.4	FSHN . 28 . SQ
38 1.50"	38 1.50"	7.6 0.30"	5.5 0.22"	9.2 0.36"	7.7	FSHN . 38 . SQ
50 1.97"	50 1.97"	7.6 0.30"	5.5 0.22"	9.2 0.36"	14.4	FSHN . 50 . SQ



MATERIALS ABS body, zinc-plated steel tubular rivet **COLOR** Black **NOTE** The 50 × 50 mm size adds an acrylic foam backing (EHBf); the other sizes do not.


VARIATIONS 4 **ONLINE** superiorglide.com/product/square-nail-on-furniture-slides-for-carpet/

FURNITURE SLIDES

Rectangular Nail-On Furniture Slides

Solid wood legs · carpet and rugs

L LENGTH	W WIDTH	H HEAD HEIGHT	H1 RIVET LENGTH	Ø1 RIVET Ø	g WEIGHT	Part no.
33 1.30"	19 0.75"	7.6 0.30"	5.5 0.22"	9.2 0.36"	4.4	FSHN.019.033



MATERIALS ABS body, zinc-plated steel tubular rivet **COLOR** Black **VARIATIONS** 1


ONLINE superiorglide.com/product/rectangular-nail-on-furniture-slides-for-carpet/

FURNITURE SLIDES

Round Self-Adhesive Furniture Slides

Metal, plastic and flat closed legs · carpet and rugs

Ø DIAMETER	H HEIGHT	g WEIGHT	Part no.
23 0.91"	7.6 0.30"	3.4	FSHA.23.RD
28 1.10"	7.6 0.30"	3.6	FSHA.28.RD
38 1.50"	7.6 0.30"	6.4	FSHA.38.RD
50 1.97"	7.6 0.30"	11.3	FSHA.50.RD



MATERIALS ABS body, acrylic foam adhesive (EHBf) **COLOR** Black **VARIATIONS** 4


ONLINE superiorglide.com/product/round-self-adhesive-furniture-slides-for-carpet/

FURNITURE SLIDES

Square Self-Adhesive Furniture Slides

Metal, plastic and flat closed legs · carpet and rugs

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
23 0.91"	23 0.91"	7.6 0.30"	4	FSHA.23.SQ
28 1.10"	28 1.10"	7.6 0.30"	5.4	FSHA.28.SQ
38 1.50"	38 1.50"	7.6 0.30"	7.7	FSHA.38.SQ
50 1.97"	50 1.97"	7.6 0.30"	14.4	FSHA.50.SQ



MATERIALS ABS body, acrylic foam adhesive (EHBf) **COLOR** Black **VARIATIONS** 4


ONLINE superiorglide.com/product/square-self-adhesive-furniture-slides-for-carpet/

FURNITURE SLIDES

Rectangular Self-Adhesive Furniture Slides

Metal, plastic and flat closed legs · carpet and rugs

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
33 1.30"	19 0.75"	7.6 0.30"	4.4	FSHA.019.033



MATERIALS ABS body, acrylic foam adhesive (EHBf) **COLOR** Black **VARIATIONS** 1

ONLINE superiorglide.com/product/rectangular-self-adhesive-furniture-slides-for-carpet/

SELF-ADHESIVE, THREE CONSTRUCTIONS



Furniture Pads

PA6 needle-punched fiber pads on a high-bond adhesive tape, sized to the leg rather than trimmed to fit. Standard pads (5.5 mm) for everyday chairs and tables, heavy-duty pads (11 mm) with a thicker fiber for heavier furniture, and foam pads (7 mm) with an acrylic foam layer that cushions and takes up small unevenness.

Surface must be clean and dry. Allow 48 hours for the adhesive to reach full strength.

Round Self-Adhesive Furniture Pads

Square Self-Adhesive Furniture Pads

Rectangular Self-Adhesive Furniture Pads

Round Heavy-Duty Self-Adhesive Furniture Pads

Square Heavy-Duty Self-Adhesive Furniture Pads

Rectangular Heavy-Duty Self-Adhesive Furniture Pads

Round Foam Self-Adhesive Furniture Pads

Square Foam Self-Adhesive Furniture Pads

Rectangular Foam Self-Adhesive Furniture Pads

498 STANDARD VARIATIONS

FURNITURE PADS

Round Self-Adhesive Furniture Pads

Standard · 5.5 mm PA6 fiber



Ø DIAMETER	H HEIGHT	g WEIGHT	Part no.
12 0.47"	5.5 0.22"	0.6	FPSA . 12 . RD
18 0.71"	5.5 0.22"	0.8	FPSA . 18 . RD
20 0.79"	5.5 0.22"	0.9	FPSA . 20 . RD
23 0.91"	5.5 0.22"	1.1	FPSA . 23 . RD
30 1.18"	5.5 0.22"	1.3	FPSA . 30 . RD
40 1.57"	5.5 0.22"	2.3	FPSA . 40 . RD
50 1.97"	5.5 0.22"	3.5	FPSA . 50 . RD
60 2.36"	5.5 0.22"	4.9	FPSA . 60 . RD
70 2.76"	5.5 0.22"	6.7	FPSA . 70 . RD
75 2.95"	5.5 0.22"	8.5	FPSA . 75 . RD
80 3.15"	5.5 0.22"	9.4	FPSA . 80 . RD
90 3.54"	5.5 0.22"	10.8	FPSA . 90 . RD
100 3.94"	5.5 0.22"	13.9	FPSA . 100 . RD
110 4.33"	5.5 0.22"	16.6	FPSA . 110 . RD
120 4.72"	5.5 0.22"	20.2	FPSA . 120 . RD
130 5.12"	5.5 0.22"	22.7	FPSA . 130 . RD
140 5.51"	5.5 0.22"	26.3	FPSA . 140 . RD

Ø DIAMETER	H HEIGHT	g WEIGHT	Part no.
150 5.91"	5.5 0.22"	30.5	FPSA . 150 . RD
160 6.30"	5.5 0.22"	35.1	FPSA . 160 . RD
170 6.69"	5.5 0.22"	38.3	FPSA . 170 . RD
180 7.09"	5.5 0.22"	44.9	FPSA . 180 . RD
190 7.48"	5.5 0.22"	48.8	FPSA . 190 . RD
200 7.87"	5.5 0.22"	55.6	FPSA . 200 . RD
210 8.27"	5.5 0.22"	59.2	FPSA . 210 . RD
220 8.66"	5.5 0.22"	67.1	FPSA . 220 . RD
230 9.06"	5.5 0.22"	71.3	FPSA . 230 . RD
240 9.45"	5.5 0.22"	81.6	FPSA . 240 . RD
250 9.84"	5.5 0.22"	85.1	FPSA . 250 . RD
260 10.24"	5.5 0.22"	96.5	FPSA . 260 . RD
270 10.63"	5.5 0.22"	103.7	FPSA . 270 . RD
280 11.02"	5.5 0.22"	112.9	FPSA . 280 . RD
290 11.42"	5.5 0.22"	122.4	FPSA . 290 . RD
300 11.81"	5.5 0.22"	134.1	FPSA . 300 . RD

MATERIALS PA6 needle-punched fiber, high-bond adhesive tape (EHBT)

COLOR Black


VARIATIONS 33

ONLINE superiorglide.com/product/round-self-adhesive-furniture-pads-for-hard-floors/

FURNITURE PADS

Square Self-Adhesive Furniture Pads

Standard · 5.5 mm PA6 fiber



L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
18 0.71"	18 0.71"	5.5 0.22"	0.8	FPSA.18.SQ
20 0.79"	20 0.79"	5.5 0.22"	1	FPSA.20.SQ
23 0.91"	23 0.91"	5.5 0.22"	1.3	FPSA.23.SQ
30 1.18"	30 1.18"	5.5 0.22"	1.8	FPSA.30.SQ
40 1.57"	40 1.57"	5.5 0.22"	3.2	FPSA.40.SQ
50 1.97"	50 1.97"	5.5 0.22"	4.4	FPSA.50.SQ
60 2.36"	60 2.36"	5.5 0.22"	6.3	FPSA.60.SQ
70 2.76"	70 2.76"	5.5 0.22"	8.9	FPSA.70.SQ
75 2.95"	75 2.95"	5.5 0.22"	10.4	FPSA.75.SQ
80 3.15"	80 3.15"	5.5 0.22"	11.5	FPSA.80.SQ
90 3.54"	90 3.54"	5.5 0.22"	14.3	FPSA.90.SQ
100 3.94"	100 3.94"	5.5 0.22"	17.6	FPSA.100.SQ
110 4.33"	110 4.33"	5.5 0.22"	21.2	FPSA.110.SQ
120 4.72"	120 4.72"	5.5 0.22"	25.2	FPSA.120.SQ
130 5.12"	130 5.12"	5.5 0.22"	29.6	FPSA.130.SQ
140 5.51"	140 5.51"	5.5 0.22"	34.3	FPSA.140.SQ

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
150 5.91"	150 5.91"	5.5 0.22"	38.4	FPSA.150.SQ
160 6.30"	160 6.30"	5.5 0.22"	43.8	FPSA.160.SQ
170 6.69"	170 6.69"	5.5 0.22"	50.6	FPSA.170.SQ
180 7.09"	180 7.09"	5.5 0.22"	56.7	FPSA.180.SQ
190 7.48"	190 7.48"	5.5 0.22"	63.2	FPSA.190.SQ
200 7.87"	200 7.87"	5.5 0.22"	73.1	FPSA.200.SQ
210 8.27"	210 8.27"	5.5 0.22"	78.3	FPSA.210.SQ
220 8.66"	220 8.66"	5.5 0.22"	87.7	FPSA.220.SQ
230 9.06"	230 9.06"	5.5 0.22"	94.6	FPSA.230.SQ
240 9.45"	240 9.45"	5.5 0.22"	107.8	FPSA.240.SQ
250 9.84"	250 9.84"	5.5 0.22"	111.4	FPSA.250.SQ
260 10.24"	260 10.24"	5.5 0.22"	116.3	FPSA.260.SQ
270 10.63"	270 10.63"	5.5 0.22"	125.6	FPSA.270.SQ
280 11.02"	280 11.02"	5.5 0.22"	133.2	FPSA.280.SQ
290 11.42"	290 11.42"	5.5 0.22"	145.2	FPSA.290.SQ
300 11.81"	300 11.81"	5.5 0.22"	153.7	FPSA.300.SQ


MATERIALS PA6 needle-punched fiber, high-bond adhesive tape (EHBt) **COLOR** Black **VARIATIONS** 32

ONLINE superiorglide.com/product/square-self-adhesive-furniture-pads-for-hard-floors/

FURNITURE PADS

Rectangular Self-Adhesive Furniture Pads

Standard · 5.5 mm PA6 fiber



L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
40 1.57"	12 0.47"	5.5 0.22"	0.9	FPSA.012.040
510 20.08"	19 0.75"	5.5 0.22"	18.1	FPSA.019.510
30 1.18"	20 0.79"	5.5 0.22"	1.1	FPSA.020.030
40 1.57"	20 0.79"	5.5 0.22"	1.4	FPSA.020.040
50 1.97"	20 0.79"	5.5 0.22"	1.8	FPSA.020.050
60 2.36"	20 0.79"	5.5 0.22"	2.2	FPSA.020.060
70 2.76"	20 0.79"	5.5 0.22"	2.5	FPSA.020.070
75 2.95"	20 0.79"	5.5 0.22"	2.8	FPSA.020.075
80 3.15"	20 0.79"	5.5 0.22"	3	FPSA.020.080
90 3.54"	20 0.79"	5.5 0.22"	3.3	FPSA.020.090
100 3.94"	20 0.79"	5.5 0.22"	3.6	FPSA.020.100
110 4.33"	20 0.79"	5.5 0.22"	4	FPSA.020.110
120 4.72"	20 0.79"	5.5 0.22"	4.3	FPSA.020.120
130 5.12"	20 0.79"	5.5 0.22"	4.9	FPSA.020.130
140 5.51"	20 0.79"	5.5 0.22"	5.2	FPSA.020.140
150 5.91"	20 0.79"	5.5 0.22"	5.4	FPSA.020.150
160 6.30"	20 0.79"	5.5 0.22"	5.9	FPSA.020.160
170 6.69"	20 0.79"	5.5 0.22"	6.1	FPSA.020.170
180 7.09"	20 0.79"	5.5 0.22"	6.3	FPSA.020.180
190 7.48"	20 0.79"	5.5 0.22"	6.7	FPSA.020.190
200 7.87"	20 0.79"	5.5 0.22"	7	FPSA.020.200
240 9.45"	20 0.79"	5.5 0.22"	8.6	FPSA.020.240
510 20.08"	25 0.98"	5.5 0.22"	23.6	FPSA.025.510
40 1.57"	30 1.18"	5.5 0.22"	2.1	FPSA.030.040
50 1.97"	30 1.18"	5.5 0.22"	2.7	FPSA.030.050
60 2.36"	30 1.18"	5.5 0.22"	3.1	FPSA.030.060
70 2.76"	30 1.18"	5.5 0.22"	3.9	FPSA.030.070

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
190 7.48"	40 1.57"	5.5 0.22"	13	FPSA.040.190
200 7.87"	40 1.57"	5.5 0.22"	14	FPSA.040.200
210 8.27"	40 1.57"	5.5 0.22"	14.7	FPSA.040.210
220 8.66"	40 1.57"	5.5 0.22"	15.2	FPSA.040.220
230 9.06"	40 1.57"	5.5 0.22"	16.1	FPSA.040.230
240 9.45"	40 1.57"	5.5 0.22"	16.8	FPSA.040.240
250 9.84"	40 1.57"	5.5 0.22"	17.2	FPSA.040.250
70 2.76"	50 1.97"	5.5 0.22"	6.1	FPSA.050.070
80 3.15"	50 1.97"	5.5 0.22"	7	FPSA.050.080
90 3.54"	50 1.97"	5.5 0.22"	7.6	FPSA.050.090
100 3.94"	50 1.97"	5.5 0.22"	8.8	FPSA.050.100
110 4.33"	50 1.97"	5.5 0.22"	9.6	FPSA.050.110
120 4.72"	50 1.97"	5.5 0.22"	10.5	FPSA.050.120
130 5.12"	50 1.97"	5.5 0.22"	11.2	FPSA.050.130
140 5.51"	50 1.97"	5.5 0.22"	12.1	FPSA.050.140
150 5.91"	50 1.97"	5.5 0.22"	13.1	FPSA.050.150
160 6.30"	50 1.97"	5.5 0.22"	14.2	FPSA.050.160
170 6.69"	50 1.97"	5.5 0.22"	14.9	FPSA.050.170
180 7.09"	50 1.97"	5.5 0.22"	15.8	FPSA.050.180
190 7.48"	50 1.97"	5.5 0.22"	16.4	FPSA.050.190
200 7.87"	50 1.97"	5.5 0.22"	17.2	FPSA.050.200
210 8.27"	50 1.97"	5.5 0.22"	18.4	FPSA.050.210
220 8.66"	50 1.97"	5.5 0.22"	19.1	FPSA.050.220
230 9.06"	50 1.97"	5.5 0.22"	19.8	FPSA.050.230
240 9.45"	50 1.97"	5.5 0.22"	21	FPSA.050.240
250 9.84"	50 1.97"	5.5 0.22"	22.3	FPSA.050.250
260 10.24"	50 1.97"	5.5 0.22"	23.2	FPSA.050.260

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.	L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
80 3.15"	30 1.18"	5.5 0.22"	4.2	FPSA.030.080	270 10.63"	50 1.97"	5.5 0.22"	23.9	FPSA.050.270
90 3.54"	30 1.18"	5.5 0.22"	4.7	FPSA.030.090	280 11.02"	50 1.97"	5.5 0.22"	24.8	FPSA.050.280
100 3.94"	30 1.18"	5.5 0.22"	5.1	FPSA.030.100	290 11.42"	50 1.97"	5.5 0.22"	26.4	FPSA.050.290
110 4.33"	30 1.18"	5.5 0.22"	5.8	FPSA.030.110	300 11.81"	50 1.97"	5.5 0.22"	27.9	FPSA.050.300
120 4.72"	30 1.18"	5.5 0.22"	6.3	FPSA.030.120	80 3.15"	60 2.36"	5.5 0.22"	8.4	FPSA.060.080
130 5.12"	30 1.18"	5.5 0.22"	6.8	FPSA.030.130	90 3.54"	60 2.36"	5.5 0.22"	9.4	FPSA.060.090
140 5.51"	30 1.18"	5.5 0.22"	7.3	FPSA.030.140	100 3.94"	60 2.36"	5.5 0.22"	10.5	FPSA.060.100
150 5.91"	30 1.18"	5.5 0.22"	7.8	FPSA.030.150	110 4.33"	60 2.36"	5.5 0.22"	11.6	FPSA.060.110
160 6.30"	30 1.18"	5.5 0.22"	8.3	FPSA.030.160	120 4.72"	60 2.36"	5.5 0.22"	13.1	FPSA.060.120
170 6.69"	30 1.18"	5.5 0.22"	8.9	FPSA.030.170	130 5.12"	60 2.36"	5.5 0.22"	14.2	FPSA.060.130
180 7.09"	30 1.18"	5.5 0.22"	9.4	FPSA.030.180	140 5.51"	60 2.36"	5.5 0.22"	14.9	FPSA.060.140
190 7.48"	30 1.18"	5.5 0.22"	10.5	FPSA.030.190	150 5.91"	60 2.36"	5.5 0.22"	16.7	FPSA.060.150
200 7.87"	30 1.18"	5.5 0.22"	10.8	FPSA.030.200	160 6.30"	60 2.36"	5.5 0.22"	17.2	FPSA.060.160
50 1.97"	40 1.57"	5.5 0.22"	3.5	FPSA.040.050	170 6.69"	60 2.36"	5.5 0.22"	18.1	FPSA.060.170
60 2.36"	40 1.57"	5.5 0.22"	5.2	FPSA.040.060	180 7.09"	60 2.36"	5.5 0.22"	19.6	FPSA.060.180
70 2.76"	40 1.57"	5.5 0.22"	5.6	FPSA.040.070	190 7.48"	60 2.36"	5.5 0.22"	20.5	FPSA.060.190
80 3.15"	40 1.57"	5.5 0.22"	6.2	FPSA.040.080	200 7.87"	60 2.36"	5.5 0.22"	21.4	FPSA.060.200
90 3.54"	40 1.57"	5.5 0.22"	6.8	FPSA.040.090	210 8.27"	60 2.36"	5.5 0.22"	22.1	FPSA.060.210
100 3.94"	40 1.57"	5.5 0.22"	7.6	FPSA.040.100	220 8.66"	60 2.36"	5.5 0.22"	24.3	FPSA.060.220
110 4.33"	40 1.57"	5.5 0.22"	8.2	FPSA.040.110	230 9.06"	60 2.36"	5.5 0.22"	25.4	FPSA.060.230
120 4.72"	40 1.57"	5.5 0.22"	9.1	FPSA.040.120	240 9.45"	60 2.36"	5.5 0.22"	26.5	FPSA.060.240
130 5.12"	40 1.57"	5.5 0.22"	9.3	FPSA.040.130	250 9.84"	60 2.36"	5.5 0.22"	26.9	FPSA.060.250
140 5.51"	40 1.57"	5.5 0.22"	9.8	FPSA.040.140	260 10.24"	60 2.36"	5.5 0.22"	27.3	FPSA.060.260
150 5.91"	40 1.57"	5.5 0.22"	10.5	FPSA.040.150	270 10.63"	60 2.36"	5.5 0.22"	28.4	FPSA.060.270
160 6.30"	40 1.57"	5.5 0.22"	11.2	FPSA.040.160	280 11.02"	60 2.36"	5.5 0.22"	29.4	FPSA.060.280
170 6.69"	40 1.57"	5.5 0.22"	11.6	FPSA.040.170	290 11.42"	60 2.36"	5.5 0.22"	30.4	FPSA.060.290
180 7.09"	40 1.57"	5.5 0.22"	12.2	FPSA.040.180	300 11.81"	60 2.36"	5.5 0.22"	32.5	FPSA.060.300

MATERIALS PA6 needle-punched fiber, high-bond adhesive tape (EHBT) **COLOR** Black **VARIATIONS** 108

ONLINE superiorglide.com/product/rectangular-self-adhesive-furniture-pads-for-hard-floors/

FURNITURE PADS

Round Heavy-Duty Self-Adhesive Furniture Pads

Heavy-duty · 11 mm PA6 fiber



Ø DIAMETER	H HEIGHT	g WEIGHT	Part no.
30 1.18"	11 0.43"	2.4	FPSHDA.30.RD
40 1.57"	11 0.43"	4.2	FPSHDA.40.RD
50 1.97"	11 0.43"	6.8	FPSHDA.50.RD
60 2.36"	11 0.43"	9.5	FPSHDA.60.RD
70 2.76"	11 0.43"	12.5	FPSHDA.70.RD
80 3.15"	11 0.43"	16.1	FPSHDA.80.RD
90 3.54"	11 0.43"	20.9	FPSHDA.90.RD
100 3.94"	11 0.43"	25.7	FPSHDA.100.RD
110 4.33"	11 0.43"	30.9	FPSHDA.110.RD
120 4.72"	11 0.43"	36.7	FPSHDA.120.RD
130 5.12"	11 0.43"	44.1	FPSHDA.130.RD
140 5.51"	11 0.43"	51.3	FPSHDA.140.RD
150 5.91"	11 0.43"	58.4	FPSHDA.150.RD
160 6.30"	11 0.43"	66.3	FPSHDA.160.RD

Ø DIAMETER	H HEIGHT	g WEIGHT	Part no.
170 6.69"	11 0.43"	73.7	FPSHDA.170.RD
180 7.09"	11 0.43"	82.6	FPSHDA.180.RD
190 7.48"	11 0.43"	92.1	FPSHDA.190.RD
200 7.87"	11 0.43"	102	FPSHDA.200.RD
210 8.27"	11 0.43"	112.5	FPSHDA.210.RD
220 8.66"	11 0.43"	123.4	FPSHDA.220.RD
230 9.06"	11 0.43"	146.9	FPSHDA.230.RD
240 9.45"	11 0.43"	159.4	FPSHDA.240.RD
250 9.84"	11 0.43"	164.3	FPSHDA.250.RD
260 10.24"	11 0.43"	172.4	FPSHDA.260.RD
270 10.63"	11 0.43"	185.9	FPSHDA.270.RD
280 11.02"	11 0.43"	197.9	FPSHDA.280.RD
290 11.42"	11 0.43"	216.5	FPSHDA.290.RD
300 11.81"	11 0.43"	232.5	FPSHDA.300.RD

MATERIALS PA6 needle-punched fiber, high-bond adhesive tape (EHBt)

COLOR Black


VARIATIONS 28

ONLINE superiorglide.com/product/round-heavy-duty-self-adhesive-furniture-pads-for-hard-floors/

FURNITURE PADS

Square Heavy-Duty Self-Adhesive Furniture Pads

Heavy-duty · 11 mm PA6 fiber



L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
30 1.18"	30 1.18"	11 0.43"	3.1	FPSHDA.30.SQ
40 1.57"	40 1.57"	11 0.43"	5.4	FPSHDA.40.SQ
50 1.97"	50 1.97"	11 0.43"	8.7	FPSHDA.50.SQ
60 2.36"	60 2.36"	11 0.43"	12.5	FPSHDA.60.SQ
70 2.76"	70 2.76"	11 0.43"	16.7	FPSHDA.70.SQ
80 3.15"	80 3.15"	11 0.43"	21.8	FPSHDA.80.SQ
90 3.54"	90 3.54"	11 0.43"	27.5	FPSHDA.90.SQ
100 3.94"	100 3.94"	11 0.43"	34	FPSHDA.100.SQ
110 4.33"	110 4.33"	11 0.43"	41.1	FPSHDA.110.SQ
120 4.72"	120 4.72"	11 0.43"	48.1	FPSHDA.120.SQ
130 5.12"	130 5.12"	11 0.43"	57.7	FPSHDA.130.SQ
140 5.51"	140 5.51"	11 0.43"	66.2	FPSHDA.140.SQ
150 5.91"	150 5.91"	11 0.43"	76.5	FPSHDA.150.SQ
160 6.30"	160 6.30"	11 0.43"	83	FPSHDA.160.SQ

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
170 6.69"	170 6.69"	11 0.43"	101.3	FPSHDA.170.SQ
180 7.09"	180 7.09"	11 0.43"	114.2	FPSHDA.180.SQ
190 7.48"	190 7.48"	11 0.43"	122.7	FPSHDA.190.SQ
200 7.87"	200 7.87"	11 0.43"	133	FPSHDA.200.SQ
210 8.27"	210 8.27"	11 0.43"	152.9	FPSHDA.210.SQ
220 8.66"	220 8.66"	11 0.43"	161.6	FPSHDA.220.SQ
230 9.06"	230 9.06"	11 0.43"	179.9	FPSHDA.230.SQ
240 9.45"	240 9.45"	11 0.43"	195.8	FPSHDA.240.SQ
250 9.84"	250 9.84"	11 0.43"	211.5	FPSHDA.250.SQ
260 10.24"	260 10.24"	11 0.43"	222.8	FPSHDA.260.SQ
270 10.63"	270 10.63"	11 0.43"	243.9	FPSHDA.270.SQ
280 11.02"	280 11.02"	11 0.43"	261.6	FPSHDA.280.SQ
290 11.42"	290 11.42"	11 0.43"	283.9	FPSHDA.290.SQ
300 11.81"	300 11.81"	11 0.43"	301	FPSHDA.300.SQ


MATERIALS PA6 needle-punched fiber, high-bond adhesive tape (EHBT) **COLOR** Black **VARIATIONS** 28

ONLINE superiorglide.com/product/square-heavy-duty-self-adhesive-furniture-pads-for-hard-floors/

FURNITURE PADS

Rectangular Heavy-Duty Self-Adhesive Furniture Pads

Heavy-duty · 11 mm PA6 fiber



L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
30 1.18"	20 0.79"	11 0.43"	2.1	FPSHDA.020.030
40 1.57"	20 0.79"	11 0.43"	2.8	FPSHDA.020.040
50 1.97"	20 0.79"	11 0.43"	3.4	FPSHDA.020.050
60 2.36"	20 0.79"	11 0.43"	4.1	FPSHDA.020.060
70 2.76"	20 0.79"	11 0.43"	4.8	FPSHDA.020.070
80 3.15"	20 0.79"	11 0.43"	5.4	FPSHDA.020.080
90 3.54"	20 0.79"	11 0.43"	6	FPSHDA.020.090
100 3.94"	20 0.79"	11 0.43"	6.6	FPSHDA.020.100
110 4.33"	20 0.79"	11 0.43"	7.1	FPSHDA.020.110
120 4.72"	20 0.79"	11 0.43"	7.6	FPSHDA.020.120
130 5.12"	20 0.79"	11 0.43"	8.3	FPSHDA.020.130
140 5.51"	20 0.79"	11 0.43"	9.4	FPSHDA.020.140
150 5.91"	20 0.79"	11 0.43"	9.9	FPSHDA.020.150
160 6.30"	20 0.79"	11 0.43"	10.6	FPSHDA.020.160
170 6.69"	20 0.79"	11 0.43"	11.4	FPSHDA.020.170
180 7.09"	20 0.79"	11 0.43"	12.1	FPSHDA.020.180
190 7.48"	20 0.79"	11 0.43"	12.5	FPSHDA.020.190
200 7.87"	20 0.79"	11 0.43"	13	FPSHDA.020.200
40 1.57"	30 1.18"	11 0.43"	4.1	FPSHDA.030.040
50 1.97"	30 1.18"	11 0.43"	5.3	FPSHDA.030.050
60 2.36"	30 1.18"	11 0.43"	6.7	FPSHDA.030.060
70 2.76"	30 1.18"	11 0.43"	7.8	FPSHDA.030.070
80 3.15"	30 1.18"	11 0.43"	8.7	FPSHDA.030.080
90 3.54"	30 1.18"	11 0.43"	9.4	FPSHDA.030.090
100 3.94"	30 1.18"	11 0.43"	10.8	FPSHDA.030.100
110 4.33"	30 1.18"	11 0.43"	11	FPSHDA.030.110
120 4.72"	30 1.18"	11 0.43"	11.7	FPSHDA.030.120

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
220 8.66"	40 1.57"	11 0.43"	30.6	FPSHDA.040.220
230 9.06"	40 1.57"	11 0.43"	31.5	FPSHDA.040.230
240 9.45"	40 1.57"	11 0.43"	33.1	FPSHDA.040.240
250 9.84"	40 1.57"	11 0.43"	35.6	FPSHDA.040.250
70 2.76"	50 1.97"	11 0.43"	11.6	FPSHDA.050.070
80 3.15"	50 1.97"	11 0.43"	13.4	FPSHDA.050.080
90 3.54"	50 1.97"	11 0.43"	16	FPSHDA.050.090
100 3.94"	50 1.97"	11 0.43"	17.5	FPSHDA.050.100
110 4.33"	50 1.97"	11 0.43"	19.3	FPSHDA.050.110
120 4.72"	50 1.97"	11 0.43"	20.8	FPSHDA.050.120
130 5.12"	50 1.97"	11 0.43"	23.4	FPSHDA.050.130
140 5.51"	50 1.97"	11 0.43"	25.3	FPSHDA.050.140
150 5.91"	50 1.97"	11 0.43"	25.6	FPSHDA.050.150
160 6.30"	50 1.97"	11 0.43"	27.5	FPSHDA.050.160
170 6.69"	50 1.97"	11 0.43"	28.7	FPSHDA.050.170
180 7.09"	50 1.97"	11 0.43"	31.2	FPSHDA.050.180
190 7.48"	50 1.97"	11 0.43"	32.8	FPSHDA.050.190
200 7.87"	50 1.97"	11 0.43"	34.5	FPSHDA.050.200
210 8.27"	50 1.97"	11 0.43"	35.7	FPSHDA.050.210
220 8.66"	50 1.97"	11 0.43"	37.8	FPSHDA.050.220
230 9.06"	50 1.97"	11 0.43"	39.2	FPSHDA.050.230
240 9.45"	50 1.97"	11 0.43"	40.4	FPSHDA.050.240
250 9.84"	50 1.97"	11 0.43"	42.1	FPSHDA.050.250
260 10.24"	50 1.97"	11 0.43"	46.5	FPSHDA.050.260
270 10.63"	50 1.97"	11 0.43"	46.9	FPSHDA.050.270
280 11.02"	50 1.97"	11 0.43"	47.1	FPSHDA.050.280
290 11.42"	50 1.97"	11 0.43"	50.4	FPSHDA.050.290

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.	L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
130 5.12"	30 1.18"	11 0.43"	12.3	FPSHDA.030.130	300 11.81"	50 1.97"	11 0.43"	52	FPSHDA.050.300
140 5.51"	30 1.18"	11 0.43"	13.4	FPSHDA.030.140	80 3.15"	60 2.36"	11 0.43"	16.2	FPSHDA.060.080
150 5.91"	30 1.18"	11 0.43"	15.7	FPSHDA.030.150	90 3.54"	60 2.36"	11 0.43"	18.5	FPSHDA.060.090
160 6.30"	30 1.18"	11 0.43"	16.3	FPSHDA.030.160	100 3.94"	60 2.36"	11 0.43"	20.2	FPSHDA.060.100
170 6.69"	30 1.18"	11 0.43"	17.1	FPSHDA.030.170	110 4.33"	60 2.36"	11 0.43"	22.4	FPSHDA.060.110
180 7.09"	30 1.18"	11 0.43"	18.2	FPSHDA.030.180	120 4.72"	60 2.36"	11 0.43"	24.5	FPSHDA.060.120
190 7.48"	30 1.18"	11 0.43"	18.6	FPSHDA.030.190	130 5.12"	60 2.36"	11 0.43"	26.5	FPSHDA.060.130
200 7.87"	30 1.18"	11 0.43"	20.1	FPSHDA.030.200	140 5.51"	60 2.36"	11 0.43"	28.1	FPSHDA.060.140
50 1.97"	40 1.57"	11 0.43"	6.8	FPSHDA.040.050	150 5.91"	60 2.36"	11 0.43"	29.5	FPSHDA.060.150
60 2.36"	40 1.57"	11 0.43"	8.2	FPSHDA.040.060	160 6.30"	60 2.36"	11 0.43"	32.1	FPSHDA.060.160
70 2.76"	40 1.57"	11 0.43"	9.5	FPSHDA.040.070	170 6.69"	60 2.36"	11 0.43"	33.8	FPSHDA.060.170
80 3.15"	40 1.57"	11 0.43"	10.9	FPSHDA.040.080	180 7.09"	60 2.36"	11 0.43"	37.5	FPSHDA.060.180
90 3.54"	40 1.57"	11 0.43"	13.4	FPSHDA.040.090	190 7.48"	60 2.36"	11 0.43"	38.9	FPSHDA.060.190
100 3.94"	40 1.57"	11 0.43"	15.1	FPSHDA.040.100	200 7.87"	60 2.36"	11 0.43"	40.2	FPSHDA.060.200
110 4.33"	40 1.57"	11 0.43"	15.5	FPSHDA.040.110	210 8.27"	60 2.36"	11 0.43"	41	FPSHDA.060.210
120 4.72"	40 1.57"	11 0.43"	17.5	FPSHDA.040.120	220 8.66"	60 2.36"	11 0.43"	43.1	FPSHDA.060.220
130 5.12"	40 1.57"	11 0.43"	18.6	FPSHDA.040.130	230 9.06"	60 2.36"	11 0.43"	46.1	FPSHDA.060.230
140 5.51"	40 1.57"	11 0.43"	20.3	FPSHDA.040.140	240 9.45"	60 2.36"	11 0.43"	49.2	FPSHDA.060.240
150 5.91"	40 1.57"	11 0.43"	21.3	FPSHDA.040.150	250 9.84"	60 2.36"	11 0.43"	50	FPSHDA.060.250
160 6.30"	40 1.57"	11 0.43"	21.5	FPSHDA.040.160	260 10.24"	60 2.36"	11 0.43"	52	FPSHDA.060.260
170 6.69"	40 1.57"	11 0.43"	23.1	FPSHDA.040.170	270 10.63"	60 2.36"	11 0.43"	53.5	FPSHDA.060.270
180 7.09"	40 1.57"	11 0.43"	24.6	FPSHDA.040.180	280 11.02"	60 2.36"	11 0.43"	56.6	FPSHDA.060.280
190 7.48"	40 1.57"	11 0.43"	25.8	FPSHDA.040.190	290 11.42"	60 2.36"	11 0.43"	58.2	FPSHDA.060.290
200 7.87"	40 1.57"	11 0.43"	27.4	FPSHDA.040.200	300 11.81"	60 2.36"	11 0.43"	61.3	FPSHDA.060.300
210 8.27"	40 1.57"	11 0.43"	29.4	FPSHDA.040.210	460 18.11"	60 2.36"	11 0.43"	92.1	FPSHDA.060.460

MATERIALS PA6 needle-punched fiber, high-bond adhesive tape (EHBT) **COLOR** Black **VARIATIONS** 104

ONLINE superiorglide.com/product/rectangular-heavy-duty-self-adhesive-furniture-pads-for-hard-floors/

FURNITURE PADS

Round Foam Self-Adhesive Furniture Pads

Foam · 7 mm PA6 fiber on acrylic foam



Ø DIAMETER	H HEIGHT	g WEIGHT	Part no.
18 0.71"	7 0.28"	0.7	FPSFA.18.RD
20 0.79"	7 0.28"	0.8	FPSFA.20.RD
23 0.91"	7 0.28"	1.1	FPSFA.23.RD
30 1.18"	7 0.28"	1.8	FPSFA.30.RD
40 1.57"	7 0.28"	3.2	FPSFA.40.RD
50 1.97"	7 0.28"	4.9	FPSFA.50.RD
60 2.36"	7 0.28"	6.9	FPSFA.60.RD
70 2.76"	7 0.28"	9.4	FPSFA.70.RD
80 3.15"	7 0.28"	13.2	FPSFA.80.RD
90 3.54"	7 0.28"	15.1	FPSFA.90.RD
100 3.94"	7 0.28"	19.5	FPSFA.100.RD
110 4.33"	7 0.28"	23.2	FPSFA.110.RD
120 4.72"	7 0.28"	28.3	FPSFA.120.RD
130 5.12"	7 0.28"	31.8	FPSFA.130.RD
140 5.51"	7 0.28"	36.8	FPSFA.140.RD
150 5.91"	7 0.28"	42.7	FPSFA.150.RD

Ø DIAMETER	H HEIGHT	g WEIGHT	Part no.
160 6.30"	7 0.28"	49.1	FPSFA.160.RD
170 6.69"	7 0.28"	53.6	FPSFA.170.RD
180 7.09"	7 0.28"	62.9	FPSFA.180.RD
190 7.48"	7 0.28"	68.3	FPSFA.190.RD
200 7.87"	7 0.28"	77.8	FPSFA.200.RD
210 8.27"	7 0.28"	82.9	FPSFA.210.RD
220 8.66"	7 0.28"	93.9	FPSFA.220.RD
230 9.06"	7 0.28"	99.8	FPSFA.230.RD
240 9.45"	7 0.28"	114.2	FPSFA.240.RD
250 9.84"	7 0.28"	119.1	FPSFA.250.RD
260 10.24"	7 0.28"	135.1	FPSFA.260.RD
270 10.63"	7 0.28"	145.2	FPSFA.270.RD
280 11.02"	7 0.28"	158.1	FPSFA.280.RD
290 11.42"	7 0.28"	171.3	FPSFA.290.RD
300 11.81"	7 0.28"	187.8	FPSFA.300.RD

MATERIALS PA6 needle-punched fiber, acrylic foam adhesive (EHBF), high-bond adhesive tape (EHBT)

COLOR Black


VARIATIONS 31

ONLINE superiorglide.com/product/round-foam-self-adhesive-furniture-pads-for-hard-floors/

FURNITURE PADS

Square Foam Self-Adhesive Furniture Pads

Foam · 7 mm PA6 fiber on acrylic foam



L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.	L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
18 0.71"	18 0.71"	7 0.28"	0.9	FPSFA.18.SQ	160 6.30"	160 6.30"	7 0.28"	61.3	FPSFA.160.SQ
20 0.79"	20 0.79"	7 0.28"	1.1	FPSFA.20.SQ	170 6.69"	170 6.69"	7 0.28"	70.8	FPSFA.170.SQ
23 0.91"	23 0.91"	7 0.28"	1.5	FPSFA.23.SQ	180 7.09"	180 7.09"	7 0.28"	79.4	FPSFA.180.SQ
30 1.18"	30 1.18"	7 0.28"	2.5	FPSFA.30.SQ	190 7.48"	190 7.48"	7 0.28"	88.4	FPSFA.190.SQ
40 1.57"	40 1.57"	7 0.28"	4.5	FPSFA.40.SQ	200 7.87"	200 7.87"	7 0.28"	102.3	FPSFA.200.SQ
50 1.97"	50 1.97"	7 0.28"	6.1	FPSFA.50.SQ	210 8.27"	210 8.27"	7 0.28"	109.6	FPSFA.210.SQ
60 2.36"	60 2.36"	7 0.28"	8.8	FPSFA.60.SQ	220 8.66"	220 8.66"	7 0.28"	122.8	FPSFA.220.SQ
70 2.76"	70 2.76"	7 0.28"	12.5	FPSFA.70.SQ	230 9.06"	230 9.06"	7 0.28"	132.4	FPSFA.230.SQ
80 3.15"	80 3.15"	7 0.28"	16.1	FPSFA.80.SQ	240 9.45"	240 9.45"	7 0.28"	150.9	FPSFA.240.SQ
90 3.54"	90 3.54"	7 0.28"	20	FPSFA.90.SQ	250 9.84"	250 9.84"	7 0.28"	155.9	FPSFA.250.SQ
100 3.94"	100 3.94"	7 0.28"	24.6	FPSFA.100.SQ	260 10.24"	260 10.24"	7 0.28"	162.8	FPSFA.260.SQ
110 4.33"	110 4.33"	7 0.28"	29.6	FPSFA.110.SQ	270 10.63"	270 10.63"	7 0.28"	175.8	FPSFA.270.SQ
120 4.72"	120 4.72"	7 0.28"	35.3	FPSFA.120.SQ	280 11.02"	280 11.02"	7 0.28"	186.5	FPSFA.280.SQ
130 5.12"	130 5.12"	7 0.28"	41.4	FPSFA.130.SQ	290 11.42"	290 11.42"	7 0.28"	203.2	FPSFA.290.SQ
140 5.51"	140 5.51"	7 0.28"	48	FPSFA.140.SQ	300 11.81"	300 11.81"	7 0.28"	215.2	FPSFA.300.SQ
150 5.91"	150 5.91"	7 0.28"	53.7	FPSFA.150.SQ					


MATERIALS PA6 needle-punched fiber, acrylic foam adhesive (EHBF), high-bond adhesive tape (EHBT) **COLOR** Black **VARIATIONS** 31

ONLINE superiorglide.com/product/square-foam-self-adhesive-furniture-pads-for-hard-floors/

FURNITURE PADS

Rectangular Foam Self-Adhesive Furniture Pads

Foam · 7 mm PA6 fiber on acrylic foam



L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
30 1.18"	20 0.79"	7 0.28"	1.5	FPSFA.020.030
40 1.57"	20 0.79"	7 0.28"	2	FPSFA.020.040
50 1.97"	20 0.79"	7 0.28"	2.5	FPSFA.020.050
60 2.36"	20 0.79"	7 0.28"	3.1	FPSFA.020.060
70 2.76"	20 0.79"	7 0.28"	3.4	FPSFA.020.070
80 3.15"	20 0.79"	7 0.28"	4.2	FPSFA.020.080
90 3.54"	20 0.79"	7 0.28"	4.6	FPSFA.020.090
100 3.94"	20 0.79"	7 0.28"	5	FPSFA.020.100
110 4.33"	20 0.79"	7 0.28"	5.6	FPSFA.020.110
120 4.72"	20 0.79"	7 0.28"	6	FPSFA.020.120
130 5.12"	20 0.79"	7 0.28"	6.9	FPSFA.020.130
140 5.51"	20 0.79"	7 0.28"	7.3	FPSFA.020.140
150 5.91"	20 0.79"	7 0.28"	7.6	FPSFA.020.150
160 6.30"	20 0.79"	7 0.28"	8.3	FPSFA.020.160
170 6.69"	20 0.79"	7 0.28"	8.5	FPSFA.020.170
180 7.09"	20 0.79"	7 0.28"	8.8	FPSFA.020.180
190 7.48"	20 0.79"	7 0.28"	9.3	FPSFA.020.190
200 7.87"	20 0.79"	7 0.28"	9.8	FPSFA.020.200
40 1.57"	30 1.18"	7 0.28"	2.9	FPSFA.030.040
50 1.97"	30 1.18"	7 0.28"	3.8	FPSFA.030.050
60 2.36"	30 1.18"	7 0.28"	4.4	FPSFA.030.060
70 2.76"	30 1.18"	7 0.28"	5.5	FPSFA.030.070
80 3.15"	30 1.18"	7 0.28"	5.9	FPSFA.030.080
90 3.54"	30 1.18"	7 0.28"	6.6	FPSFA.030.090
100 3.94"	30 1.18"	7 0.28"	7.1	FPSFA.030.100
110 4.33"	30 1.18"	7 0.28"	8.1	FPSFA.030.110
120 4.72"	30 1.18"	7 0.28"	8.8	FPSFA.030.120

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
220 8.66"	40 1.57"	7 0.28"	21.3	FPSFA.040.220
230 9.06"	40 1.57"	7 0.28"	22.5	FPSFA.040.230
240 9.45"	40 1.57"	7 0.28"	23.5	FPSFA.040.240
250 9.84"	40 1.57"	7 0.28"	24.1	FPSFA.040.250
70 2.76"	50 1.97"	7 0.28"	8.6	FPSFA.050.070
80 3.15"	50 1.97"	7 0.28"	9.8	FPSFA.050.080
90 3.54"	50 1.97"	7 0.28"	10.6	FPSFA.050.090
100 3.94"	50 1.97"	7 0.28"	12.2	FPSFA.050.100
110 4.33"	50 1.97"	7 0.28"	13.5	FPSFA.050.110
120 4.72"	50 1.97"	7 0.28"	14.7	FPSFA.050.120
130 5.12"	50 1.97"	7 0.28"	15.7	FPSFA.050.130
140 5.51"	50 1.97"	7 0.28"	16.9	FPSFA.050.140
150 5.91"	50 1.97"	7 0.28"	18.4	FPSFA.050.150
160 6.30"	50 1.97"	7 0.28"	19.9	FPSFA.050.160
170 6.69"	50 1.97"	7 0.28"	20.8	FPSFA.050.170
180 7.09"	50 1.97"	7 0.28"	22.1	FPSFA.050.180
190 7.48"	50 1.97"	7 0.28"	23	FPSFA.050.190
200 7.87"	50 1.97"	7 0.28"	24.1	FPSFA.050.200
210 8.27"	50 1.97"	7 0.28"	25.7	FPSFA.050.210
220 8.66"	50 1.97"	7 0.28"	26.7	FPSFA.050.220
230 9.06"	50 1.97"	7 0.28"	27.7	FPSFA.050.230
240 9.45"	50 1.97"	7 0.28"	29.4	FPSFA.050.240
250 9.84"	50 1.97"	7 0.28"	31.2	FPSFA.050.250
260 10.24"	50 1.97"	7 0.28"	32.5	FPSFA.050.260
270 10.63"	50 1.97"	7 0.28"	33.5	FPSFA.050.270
280 11.02"	50 1.97"	7 0.28"	34.7	FPSFA.050.280
290 11.42"	50 1.97"	7 0.28"	37	FPSFA.050.290

L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.	L LENGTH	W WIDTH	H HEIGHT	g WEIGHT	Part no.
130 5.12"	30 1.18"	7 0.28"	9.6	FPSFA.030.130	300 11.81"	50 1.97"	7 0.28"	39.1	FPSFA.050.300
140 5.51"	30 1.18"	7 0.28"	10.3	FPSFA.030.140	80 3.15"	60 2.36"	7 0.28"	11.8	FPSFA.060.080
150 5.91"	30 1.18"	7 0.28"	10.9	FPSFA.030.150	90 3.54"	60 2.36"	7 0.28"	13.2	FPSFA.060.090
160 6.30"	30 1.18"	7 0.28"	11.6	FPSFA.030.160	100 3.94"	60 2.36"	7 0.28"	14.7	FPSFA.060.100
170 6.69"	30 1.18"	7 0.28"	12.5	FPSFA.030.170	110 4.33"	60 2.36"	7 0.28"	16.2	FPSFA.060.110
180 7.09"	30 1.18"	7 0.28"	13.2	FPSFA.030.180	120 4.72"	60 2.36"	7 0.28"	18.3	FPSFA.060.120
190 7.48"	30 1.18"	7 0.28"	14.7	FPSFA.030.190	130 5.12"	60 2.36"	7 0.28"	19.9	FPSFA.060.130
200 7.87"	30 1.18"	7 0.28"	15.1	FPSFA.030.200	140 5.51"	60 2.36"	7 0.28"	20.9	FPSFA.060.140
50 1.97"	40 1.57"	7 0.28"	4.9	FPSFA.040.050	150 5.91"	60 2.36"	7 0.28"	23.4	FPSFA.060.150
60 2.36"	40 1.57"	7 0.28"	7.3	FPSFA.040.060	160 6.30"	60 2.36"	7 0.28"	24.1	FPSFA.060.160
70 2.76"	40 1.57"	7 0.28"	7.8	FPSFA.040.070	170 6.69"	60 2.36"	7 0.28"	25.3	FPSFA.060.170
80 3.15"	40 1.57"	7 0.28"	8.7	FPSFA.040.080	180 7.09"	60 2.36"	7 0.28"	27.4	FPSFA.060.180
90 3.54"	40 1.57"	7 0.28"	9.5	FPSFA.040.090	190 7.48"	60 2.36"	7 0.28"	28.7	FPSFA.060.190
100 3.94"	40 1.57"	7 0.28"	10.6	FPSFA.040.100	200 7.87"	60 2.36"	7 0.28"	30	FPSFA.060.200
110 4.33"	40 1.57"	7 0.28"	11.5	FPSFA.040.110	210 8.27"	60 2.36"	7 0.28"	30.9	FPSFA.060.210
120 4.72"	40 1.57"	7 0.28"	12.7	FPSFA.040.120	220 8.66"	60 2.36"	7 0.28"	34	FPSFA.060.220
130 5.12"	40 1.57"	7 0.28"	13	FPSFA.040.130	230 9.06"	60 2.36"	7 0.28"	35.6	FPSFA.060.230
140 5.51"	40 1.57"	7 0.28"	13.7	FPSFA.040.140	240 9.45"	60 2.36"	7 0.28"	37.1	FPSFA.060.240
150 5.91"	40 1.57"	7 0.28"	14.7	FPSFA.040.150	250 9.84"	60 2.36"	7 0.28"	37.7	FPSFA.060.250
160 6.30"	40 1.57"	7 0.28"	15.7	FPSFA.040.160	260 10.24"	60 2.36"	7 0.28"	38.2	FPSFA.060.260
170 6.69"	40 1.57"	7 0.28"	16.2	FPSFA.040.170	270 10.63"	60 2.36"	7 0.28"	39.7	FPSFA.060.270
180 7.09"	40 1.57"	7 0.28"	17.1	FPSFA.040.180	280 11.02"	60 2.36"	7 0.28"	41.2	FPSFA.060.280
190 7.48"	40 1.57"	7 0.28"	18.2	FPSFA.040.190	290 11.42"	60 2.36"	7 0.28"	42.6	FPSFA.060.290
200 7.87"	40 1.57"	7 0.28"	19.6	FPSFA.040.200	300 11.81"	60 2.36"	7 0.28"	45.5	FPSFA.060.300
210 8.27"	40 1.57"	7 0.28"	20.6	FPSFA.040.210					

MATERIALS PA6 needle-punched fiber, acrylic foam adhesive (EHBf), high-bond adhesive tape (EHBt) **COLOR** Black **VARIATIONS** 103

ONLINE superiorglide.com/product/rectangular-foam-self-adhesive-furniture-pads-for-hard-floors/

FOR TUBULAR STEEL LEGS



Tube Plugs & End Caps

Push-in plugs and external end caps for round, square, rectangular, oval, half-oval and ellipse tube. Ribbed polyethylene plugs hold in the stated wall-thickness range. Variants include conical, domed and half-sphere heads, angled plugs for splayed legs, and plugs with a slot that takes a PA6 fiber pad.

T is the tube wall thickness the plug fits. Colors shown are standard; other colors on request with a minimum order quantity.

Round Tube Plugs

Conical Head Round Tube Plugs

Domed Head Round Tube Plugs

Half-Sphere Head Round Tube Plugs

Anti-Slip Round Tube Plugs

Pad Slot Round Tube Plugs

Angled Round Tube Plugs

Round End Caps

Square Tube Plugs

Square End Caps

Rectangular Tube Plugs

Smooth Fit Rectangular Tube Plugs

Rectangular Tube Plugs with Pad

Angled Rectangular Tube Plugs

Half-Oval Tube Plugs

Oval Tube Plugs

Extended Oval Tube Plugs

Domed Oval Tube Plugs

Angled Oval Tube Plugs

Angled Oval Tube Plugs with Pad Slot

Ellipse Tube Plugs

Domed Ellipse Tube Plugs

Thin Head Ellipse Tube Plugs

288 STANDARD VARIATIONS

TUBE PLUGS & END CAPS

Round Tube Plugs

Ribbed push-in · round tube



Ø TUBE Ø	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
10 0.39"	6 0.24"	3.2 0.13"	1.5-2 0.06-0.08"	0.5	FTP.10.RD.W1520	.BK	—	—
10 0.39"	6 0.24"	3.2 0.13"	1-1.5 0.04-0.06"	0.4	FTP.10.RD.W1015	.BK	.GY	.WH
13 0.51"	12 0.47"	3 0.12"	1.5-2 0.06-0.08"	0.7	FTP.13.RD.W1520	.BK	—	.WH
13 0.51"	12 0.47"	3 0.12"	1-1.5 0.04-0.06"	0.9	FTP.13.RD.W1015	.BK	.GY	—
16 0.63"	12 0.47"	3 0.12"	2-2.5 0.08-0.10"	1.3	FTP.16.RD.W2025	.BK	—	—
16 0.63"	12 0.47"	5 0.20"	1-1.5 0.04-0.06"	1.5	FTP.16.RD.W1015	.BK	—	—
17.2 0.68"	12 0.47"	5 0.20"	2-2.5 0.08-0.10"	1.6	FTP.17-2.RD.W2025	.BK	—	—
18 0.71"	12 0.47"	5 0.20"	1.5-2 0.06-0.08"	1.9	FTP.18.RD.W1520	.BK	.GY	.WH
20 0.79"	12 0.47"	5 0.20"	1.5-2.5 0.06-0.10"	2.2	FTP.20.RD.W1525	.BK	.GY	.WH
20 0.79"	12 0.47"	5 0.20"	1-1.5 0.04-0.06"	2.7	FTP.20.RD.W1015	.BK	.GY	—
22 0.87"	12 0.47"	5 0.20"	2.5-3 0.10-0.12"	2.4	FTP.22.RD.W2530	.BK	.GY	.WH
22 0.87"	12 0.47"	5 0.20"	2-2.5 0.08-0.10"	2.2	FTP.22.RD.W2025	.BK	.GY	.WH
22 0.87"	12 0.47"	5 0.20"	1.5-2 0.06-0.08"	2.5	FTP.22.RD.W1520	.BK	.GY	.WH
25 0.98"	12 0.47"	5 0.20"	1.5-2 0.06-0.08"	2.9	FTP.25.RD.W1520	.BK	.GY	.WH
27 1.06"	12 0.47"	5 0.20"	2.5-3 0.10-0.12"	3.2	FTP.27.RD.W2530	.BK	.GY	.WH
28 1.10"	12 0.47"	5 0.20"	1-2 0.04-0.08"	3.8	FTP.28.RD.W1020	.BK	.GY	.WH
30 1.18"	12 0.47"	5 0.20"	1.5-2 0.06-0.08"	4.3	FTP.30.RD.W1520	.BK	.GY	.WH
32 1.26"	12 0.47"	5 0.20"	1.5-2 0.06-0.08"	3.9	FTP.32.RD.W1520	.BK	.GY	.WH
33.7 1.33"	12 0.47"	5 0.20"	3-4 0.12-0.16"	4.9	FTP.33-7.RD.W3040	.BK	.GY	.WH
33.7 1.33"	12 0.47"	5 0.20"	1.5-2 0.06-0.08"	4.2	FTP.33-7.RD.W1520	.BK	—	—
35 1.38"	12 0.47"	5 0.20"	1-2 0.04-0.08"	5.3	FTP.35.RD.W1020	.BK	.GY	—
38 1.50"	12 0.47"	5 0.20"	1-2 0.04-0.08"	6.7	FTP.38.RD.W1020	.BK	—	—
40 1.57"	12 0.47"	5 0.20"	1.5-2.5 0.06-0.10"	6.5	FTP.40.RD.W1525	.BK	.GY	.WH

Ø TUBE Ø	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
42 1.65"	12 0.47"	5 0.20"	2.5-3.5 0.10-0.14"	6.7	FTP.42.RD.W2535	.BK	.GY	—
42 1.65"	12 0.47"	5 0.20"	1.5-2.5 0.06-0.10"	6.3	FTP.42.RD.W1525	.BK	.GY	.WH
42 1.65"	12 0.47"	5 0.20"	1-2 0.04-0.08"	7.8	FTP.42.RD.W1020	.BK	—	—
45 1.77"	14 0.55"	5 0.20"	1.5-2.5 0.06-0.10"	9.1	FTP.45.RD.W1525	.BK	.GY	—
48.3 1.90"	14 0.55"	5 0.20"	1-2 0.04-0.08"	12.3	FTP.48-3.RD.W1020	.BK	—	—
50 1.97"	14 0.55"	5 0.20"	3-4 0.12-0.16"	10.6	FTP.50.RD.W3040	.BK	.GY	.WH
50 1.97"	14 0.55"	5 0.20"	1.5-2 0.06-0.08"	11.2	FTP.50.RD.W1520	.BK	.GY	.WH
60 2.36"	14 0.55"	5 0.20"	1.5-2 0.06-0.08"	14.7	FTP.60.RD.W1520	.BK	.GY	—
60 2.36"	14 0.55"	5 0.20"	1.5-2.5 0.06-0.10"	11.4	FTP.60.RD.W1525	.BK	.GY	—
60.3 2.37"	14 0.55"	5 0.20"	1.5-2.5 0.06-0.10"	14.4	FTP.60-3.RD.W1525	.BK	.GY	—
63 2.48"	14 0.55"	5 0.20"	1.5-2.5 0.06-0.10"	17.9	FTP.63.RD.W1525	.BK	—	—
70 2.76"	14 0.55"	5 0.20"	1.5-2 0.06-0.08"	20.1	FTP.70.RD.W1520	.BK	—	.WH
77 3.03"	14 0.55"	5 0.20"	2.5-3.5 0.10-0.14"	20.7	FTP.77.RD.W2535	.BK	—	—
80 3.15"	14 0.55"	5 0.20"	1.5-2 0.06-0.08"	25.8	FTP.80.RD.W1520	.BK	.GY	—


MATERIALS polyethylene (PE) **VARIATIONS** 80 **ONLINE** superiorglide.com/product/round-tube-plugs/

TUBE PLUGS & END CAPS

Conical Head Round Tube Plugs

Conical head · round tube

Ø TUBE Ø	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
30 1.18"	14 0.55"	20 0.79"	3-4 0.12-0.16"	8	FTPC.30.RD.W3040	.BK




MATERIALS polyethylene (PE) **VARIATIONS** 1 **ONLINE** superiorglide.com/product/conical-head-round-tube-plugs/

TUBE PLUGS & END CAPS

Domed Head Round Tube Plugs

Domed head · round tube

Ø TUBE Ø	H SHANK	H1 HEAD	T TUBE WALL	R RADIUS	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
16 0.63"	12 0.47"	5 0.20"	1.5-2 0.06-0.08"	20 0.79"	1.4	FTPD.16.RD.W1520.R20	.BK	.GY
26 1.02"	8 0.31"	8 0.31"	1.5-2 0.06-0.08"	40 1.57"	2.5	FTPD.26.RD.W1520.R40	.BK	.GY



MATERIALS polyethylene (PE)

VARIATIONS 4


ONLINE superiorglide.com/product/domed-head-round-tube-plugs/

TUBE PLUGS & END CAPS

Half-Sphere Head Round Tube Plugs

Half-sphere head · round tube

Ø TUBE Ø	H SHANK	H1 HEAD	T TUBE WALL	Mat. MATERIAL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
16 0.63"	14 0.55"	8 0.31"	1.5-2 0.06-0.08"	nylon	2.5	FTPHS.16.RD.W1520	.BK	—	—
16 0.63"	14 0.55"	8 0.31"	1-1.5 0.04-0.06"	polyethylene	1.7	FTPHS.16.RD.W1015	.BK	—	.WH
20 0.79"	14 0.55"	10 0.39"	1-1.5 0.04-0.06"	polyethylene	2.8	FTPHS.20.RD.W1015	.BK	—	.WH
22 0.87"	14 0.55"	11 0.43"	1-1.5 0.04-0.06"	polyethylene	3.5	FTPHS.22.RD.W1015	.BK	—	—
25 0.98"	14 0.55"	12.5 0.49"	1-1.5 0.04-0.06"	polyethylene	4.8	FTPHS.25.RD.W1015	.BK	.GY	.WH
30 1.18"	14 0.55"	16 0.63"	1-1.5 0.04-0.06"	polyethylene	7.1	FTPHS.30.RD.W1015	.BK	—	—



MATERIALS polyethylene (PE) or nylon (PA), by size — see Mat. column

VARIATIONS 10


ONLINE superiorglide.com/product/half-sphere-head-round-tube-plugs/

TUBE PLUGS & END CAPS

Anti-Slip Round Tube Plugs

Thermoplastic rubber · anti-slip · round tube

Ø TUBE Ø	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
28 1.10"	12 0.47"	5 0.20"	1-2 0.04-0.08"	5	FTPAS.28.RD.W1020	.BK



MATERIALS thermoplastic rubber (TPE)

VARIATIONS 1


ONLINE superiorglide.com/product/anti-slip-round-tube-plugs/

TUBE PLUGS & END CAPS

Pad Slot Round Tube Plugs

Slot for a PA6 fiber pad · round tube

Ø TUBE Ø	H SHANK	H1 HEAD	H2 PAD SLOT DEPTH	T TUBE WALL	Ø4 PAD SLOT Ø	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
22 0.87"	12 0.47"	5 0.20"	0.5-1 0.02-0.04"	1.5-2 0.06-0.08"	14 0.55"	2.4	FTPPS.22.RD.W1520	.BK	.GY
28 1.10"	12 0.47"	5 0.20"	0.5-1 0.02-0.04"	1-2 0.04-0.08"	20 0.79"	3.5	FTPPS.28.RD.W1020	.BK	.GY




MATERIALS polyethylene (PE) **VARIATIONS** 4 **ONLINE** superiorglide.com/product/pad-slot-round-tube-plugs/

TUBE PLUGS & END CAPS

Angled Round Tube Plugs

Angled · splayed round legs

Ø TUBE Ø	H SHANK	H1 HEAD	T TUBE WALL	α ANGLE	Mat. MATERIAL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
20 0.79"	11.5 0.45"	10 0.39"	1.5-2 0.06-0.08"	22°	nylon	3.3	FTPAN.20.RD.W1520.A22	.BK	.GY
22 0.87"	16 0.63"	12.5 0.49"	1.5-2 0.06-0.08"	22°	polyethylene	3.8	FTPAN.22.RD.W1520.A22	.BK	.GY
22 0.87"	16 0.63"	8 0.31"	1.5-2 0.06-0.08"	9°	polyethylene	3.4	FTPAN.22.RD.W1520.A9	.BK	.GY




MATERIALS polyethylene (PE) or nylon (PA), by size — see Mat. column **VARIATIONS** 6 **ONLINE** superiorglide.com/product/angled-round-tube-plugs/

TUBE PLUGS & END CAPS

Round End Caps

External cap · round tube

Ø CAP Ø	H HEIGHT	H1 LIP	Ø3 TUBE Ø	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
15.5 0.61"	35 1.38"	5 0.20"	10 0.39"	3.5	FEC.10.RD	.BK
15.5 0.61"	35 1.38"	5 0.20"	12 0.47"	2.8	FEC.12.RD	.BK



MATERIALS polyethylene (PE) **VARIATIONS** 2 **ONLINE** superiorglide.com/product/round-end-caps/

TUBE PLUGS & END CAPS

Square Tube Plugs

Ribbed push-in · square tube



L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
13 0.51"	13 0.51"	12 0.47"	5 0.20"	1-2 0.04-0.08"	1.2	FTP.13.SQ.W1020	.BK	—	—
15 0.59"	15 0.59"	12 0.47"	5 0.20"	1-2 0.04-0.08"	1.7	FTP.15.SQ.W1020	.BK	.GY	.WH
16 0.63"	16 0.63"	12 0.47"	5 0.20"	1-2 0.04-0.08"	1.9	FTP.16.SQ.W1020	.BK	.GY	.WH
18 0.71"	18 0.71"	12 0.47"	5 0.20"	1-2 0.04-0.08"	2.4	FTP.18.SQ.W1020	.BK	—	—
18 0.71"	18 0.71"	12 0.47"	5 0.20"	1.5-2.5 0.06-0.10"	2.6	FTP.18.SQ.W1525	.BK	—	—
20 0.79"	20 0.79"	12 0.47"	5 0.20"	1-2 0.04-0.08"	2.7	FTP.20.SQ.W1020	.BK	.GY	.WH
22 0.87"	22 0.87"	13 0.51"	5 0.20"	1-2 0.04-0.08"	3.1	FTP.22.SQ.W1020	.BK	.GY	.WH

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
25 0.98"	25 0.98"	12 0.47"	5 0.20"	1-2 0.04-0.08"	3.9	FTP . 25 . SQ . W1020	.BK	.GY	.WH
30 1.18"	30 1.18"	14 0.55"	5 0.20"	1-2 0.04-0.08"	5.1	FTP . 30 . SQ . W1020	.BK	.GY	.WH
30 1.18"	30 1.18"	14 0.55"	5 0.20"	2-3 0.08-0.12"	5.7	FTP . 30 . SQ . W2030	.BK	—	.WH
35 1.38"	35 1.38"	14 0.55"	5 0.20"	1-2 0.04-0.08"	7.9	FTP . 35 . SQ . W1020	.BK	.GY	.WH
40 1.57"	40 1.57"	14 0.55"	5 0.20"	1-2 0.04-0.08"	7.7	FTP . 40 . SQ . W1020	.BK	.GY	.WH
40 1.57"	40 1.57"	14 0.55"	5 0.20"	3-4 0.12-0.16"	7.7	FTP . 40 . SQ . W3040	.BK	—	.WH
45 1.77"	45 1.77"	13 0.51"	5 0.20"	1-2 0.04-0.08"	9.7	FTP . 45 . SQ . W1020	.BK	.GY	.WH
50 1.97"	50 1.97"	16 0.63"	5 0.20"	1-2 0.04-0.08"	12.8	FTP . 50 . SQ . W1020	.BK	.GY	.WH
50 1.97"	50 1.97"	13 0.51"	5 0.20"	3.5-5 0.14-0.20"	12.1	FTP . 50 . SQ . W3550	.BK	—	—
50 1.97"	50 1.97"	16 0.63"	5 0.20"	2-3 0.08-0.12"	10.9	FTP . 50 . SQ . W2030	.BK	—	—
60 2.36"	60 2.36"	15 0.59"	5 0.20"	1-2 0.04-0.08"	19.3	FTP . 60 . SQ . W1020	.BK	.GY	.WH
70 2.76"	70 2.76"	16 0.63"	5 0.20"	2.5-4 0.10-0.16"	21.5	FTP . 70 . SQ . W2540	.BK	—	—
80 3.15"	80 3.15"	15 0.59"	5 0.20"	1-2 0.04-0.08"	36.1	FTP . 80 . SQ . W1020	.BK	.GY	.WH
80 3.15"	80 3.15"	15 0.59"	5 0.20"	3-5 0.12-0.20"	31	FTP . 80 . SQ . W3050	.BK	.GY	—
100 3.94"	100 3.94"	23.5 0.93"	6 0.24"	2-3 0.08-0.12"	81.6	FTP . 100 . SQ . W2030	.BK	.GY	.WH

MATERIALS polyethylene (PE)

VARIATIONS 51


ONLINE superiorglide.com/product/square-tube-plugs/

TUBE PLUGS & END CAPS

Square End Caps

External cap · square tube

L CAP LENGTH	W CAP WIDTH	L3 TUBE LENGTH	W3 TUBE WIDTH	H HEIGHT	H1 LIP	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	○ White RAL 9003
22 0.87"	22 0.87"	16 0.63"	16 0.63"	16 0.63"	3 0.12"	2.6	FEC.16.SQ	.BK	.WH
28 1.10"	28 1.10"	25 0.98"	25 0.98"	26 1.02"	3 0.12"	5.1	FEC.25.SQ	.BK	—



MATERIALS polyethylene (PE)


VARIATIONS 3

ONLINE superiorglide.com/product/square-end-caps/

TUBE PLUGS & END CAPS

Rectangular Tube Plugs

Ribbed push-in · rectangular tube



L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
30 1.18"	10 0.39"	12 0.47"	3 0.12"	1-2 0.04-0.08"	1.6	FTP.010.030.W1020	.BK	—	—
20 0.79"	15 0.59"	12 0.47"	5 0.20"	1-2 0.04-0.08"	1.9	FTP.015.020.W1020	.BK	—	.WH
30 1.18"	15 0.59"	12 0.47"	5 0.20"	1-2 0.04-0.08"	2.6	FTP.015.030.W1020	.BK	.GY	—
30 1.18"	15 0.59"	12 0.47"	5 0.20"	2-3 0.08-0.12"	2.8	FTP.015.030.W2030	.BK	—	—
40 1.57"	15 0.59"	12 0.47"	5 0.20"	2-3 0.08-0.12"	3.7	FTP.015.040.W2030	.BK	.GY	—
50 1.97"	15 0.59"	14 0.55"	5 0.20"	1-2 0.04-0.08"	5.9	FTP.015.050.W1020	.BK	—	.WH

L	W	H	H1	T	g	Part no.	 Black	 Gray	 White
TUBE LENGTH	TUBE WIDTH	SHANK	HEAD	TUBE WALL	WEIGHT	ADD COLOR CODE	RAL 9005	RAL 7040	RAL 9003
30 1.18"	18 0.71"	12 0.47"	5 0.20"	1.5-2.5 0.06-0.10"	3	FTP.018.030.W1525	.BK	.GY	.WH
25 0.98"	20 0.79"	12 0.47"	5 0.20"	1-2 0.04-0.08"	3.2	FTP.020.025.W1020	.BK	—	—
30 1.18"	20 0.79"	12 0.47"	5 0.20"	1-2 0.04-0.08"	3.6	FTP.020.030.W1020	.BK	.GY	.WH
40 1.57"	20 0.79"	14 0.55"	5 0.20"	1-2 0.04-0.08"	5.1	FTP.020.040.W1020	.BK	.GY	.WH
40 1.57"	20 0.79"	14 0.55"	5 0.20"	2-3 0.08-0.12"	4.6	FTP.020.040.W2030	.BK	—	—
50 1.97"	20 0.79"	14 0.55"	5 0.20"	0.8-1.5 0.03-0.06"	6.3	FTP.020.050.W0815	.BK	.GY	—
50 1.97"	20 0.79"	14 0.55"	5 0.20"	1.5-2 0.06-0.08"	5.5	FTP.020.050.W1520	.BK	—	.WH
60 2.36"	20 0.79"	16 0.63"	5 0.20"	1-2 0.04-0.08"	7.3	FTP.020.060.W1020	.BK	.GY	.WH
35 1.38"	25 0.98"	13 0.51"	5 0.20"	1-2 0.04-0.08"	5.2	FTP.025.035.W1020	.BK	—	—
40 1.57"	25 0.98"	14 0.55"	5 0.20"	1-2 0.04-0.08"	5.9	FTP.025.040.W1020	.BK	—	.WH
50 1.97"	25 0.98"	14 0.55"	5 0.20"	1-2 0.04-0.08"	7	FTP.025.050.W1020	.BK	.GY	—
60 2.36"	25 0.98"	15 0.59"	5 0.20"	1-2 0.04-0.08"	8.2	FTP.025.060.W1020	.BK	.GY	.WH
40 1.57"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	7.3	FTP.030.040.W1020	.BK	.GY	.WH
50 1.97"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	9.2	FTP.030.050.W1020	.BK	.GY	.WH
50 1.97"	30 1.18"	15 0.59"	5 0.20"	3-4 0.12-0.16"	9.4	FTP.030.050.W3040	.BK	—	—
60 2.36"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	11.1	FTP.030.060.W1020	.BK	.GY	.WH
60 2.36"	30 1.18"	14 0.55"	5 0.20"	3-4 0.12-0.16"	11.2	FTP.030.060.W3040	.BK	—	—
70 2.76"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	13.6	FTP.030.070.W1020	.BK	.GY	.WH
80 3.15"	30 1.18"	16 0.63"	5 0.20"	2-3 0.08-0.12"	12.7	FTP.030.080.W2030	.BK	.GY	.WH
100 3.94"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	15.6	FTP.030.100.W1020	.BK	—	—
110 4.33"	30 1.18"	16 0.63"	5 0.20"	2-3 0.08-0.12"	19.3	FTP.030.110.W2030	.BK	—	—
50 1.97"	40 1.57"	14 0.55"	5 0.20"	1-2 0.04-0.08"	10.3	FTP.040.050.W1020	.BK	.GY	—
60 2.36"	40 1.57"	16 0.63"	5 0.20"	1-2 0.04-0.08"	12.1	FTP.040.060.W1020	.BK	.GY	.WH
80 3.15"	40 1.57"	16 0.63"	5 0.20"	1-2 0.04-0.08"	17.1	FTP.040.080.W1020	.BK	.GY	.WH
80 3.15"	40 1.57"	16 0.63"	5 0.20"	3-4 0.12-0.16"	24.1	FTP.040.080.W3040	.BK	—	—
100 3.94"	40 1.57"	16 0.63"	5 0.20"	3-4 0.12-0.16"	18.9	FTP.040.100.W3040	.BK	—	—

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
70 2.76"	50 1.97"	15 0.59"	5 0.20"	2-4 0.08-0.16"	14.7	FTP.050.070.W2040	.BK	—	—
80 3.15"	50 1.97"	21 0.83"	5 0.20"	1.5-3.5 0.06-0.14"	21.9	FTP.050.080.W1535	.BK	—	—
100 3.94"	50 1.97"	25 0.98"	5 0.20"	1.5-3.5 0.06-0.14"	30.5	FTP.050.100.W1535	.BK	—	—
80 3.15"	60 2.36"	25 0.98"	5 0.20"	1.5-3.5 0.06-0.14"	27.4	FTP.060.080.W1535	.BK	—	—
100 3.94"	60 2.36"	25 0.98"	5 0.20"	2.5-4.5 0.10-0.18"	34.9	FTP.060.100.W2545	.BK	—	—
120 4.72"	60 2.36"	25 0.98"	5 0.20"	2.5-4.5 0.10-0.18"	37.9	FTP.060.120.W2545	.BK	—	—

MATERIALS polyethylene (PE)

VARIATIONS 71


ONLINE superiorglide.com/product/rectangular-tube-plugs/

TUBE PLUGS & END CAPS

Smooth Fit Rectangular Tube Plugs

Smooth fit · rectangular tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
80 3.15"	15 0.59"	14 0.55"	5 0.20"	1.5-2 0.06-0.08"	10.9	FTPSF.015.080.W1520	.BK	—	—
80 3.15"	20 0.79"	14 0.55"	5 0.20"	1-2 0.04-0.08"	14.1	FTPSF.020.080.W1020	.BK	.GY	.WH
100 3.94"	20 0.79"	14 0.55"	5 0.20"	1-2 0.04-0.08"	16.6	FTPSF.020.100.W1020	.BK	.GY	—
100 3.94"	25 0.98"	14 0.55"	5 0.20"	1-2 0.04-0.08"	18	FTPSF.025.100.W1020	.BK	.GY	—



MATERIALS nylon (PA)

VARIATIONS 8


ONLINE superiorglide.com/product/smooth-fit-rectangular-tube-plugs/

TUBE PLUGS & END CAPS

Rectangular Tube Plugs with Pad

With PA6 fiber pad · rectangular tube

L TUBE LENGTH	W TUBE WIDTH	L1 PAD LENGTH	W1 PAD WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no.
27.5 1.08"	13.8 0.54"	22.8 0.90"	9.6 0.38"	13 0.51"	8 0.31"	1-2 0.04-0.08"	5.1	FTPWP.013-8.027-5.W1020
30 1.18"	20 0.79"	26 1.02"	16 0.63"	12 0.47"	10 0.39"	1-2 0.04-0.08"	4.4	FTPWP.020.030.W1020



MATERIALS nylon (PA), PA6 needle-punched fiber pad **COLOR** Black **VARIATIONS** 2


ONLINE superiorglide.com/product/rectangular-tube-plugs-with-pad/

TUBE PLUGS & END CAPS

Angled Rectangular Tube Plugs

Angled · splayed rectangular legs

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	α ANGLE	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
25 0.98"	20 0.79"	12 0.47"	11 0.43"	1-1.5 0.04-0.06"	20°	4.4	FTPAN.020.025.W1015.A20	.BK




MATERIALS polyethylene (PE) **VARIATIONS** 1 **ONLINE** superiorglide.com/product/angled-rectangular-tube-plugs/

TUBE PLUGS & END CAPS

Half-Oval Tube Plugs

Push-in · half-oval tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
40 1.57"	20 0.79"	14 0.55"	5 0.20"	1-2 0.04-0.08"	5.5	FTP.020.040.H0.W1020	.BK
40 1.57"	30 1.18"	14 0.55"	5 0.20"	1-2 0.04-0.08"	7.2	FTP.030.040.H0.W1020	.BK
60 2.36"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	10.7	FTP.030.060.H0.W1020	.BK



MATERIALS polyethylene (PE)

VARIATIONS 3


ONLINE superiorglide.com/product/half-oval-tube-plugs/

TUBE PLUGS & END CAPS

Oval Tube Plugs

Push-in · oval tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
33 1.30"	10 0.39"	12 0.47"	3 0.12"	1.5-2 0.06-0.08"	1.7	FTP.010.033.OV.W1520	.BK	-	-
30 1.18"	15 0.59"	13 0.51"	5 0.20"	1-1.5 0.04-0.06"	2.7	FTP.015.030.OV.W1015	.BK	.GY	.WH
36 1.42"	18 0.71"	12 0.47"	5 0.20"	1.5-2 0.06-0.08"	4.3	FTP.018.036.OV.W1520	-	.GY	-
30 1.18"	20 0.79"	14 0.55"	5 0.20"	1-1.5 0.04-0.06"	3.8	FTP.020.030.OV.W1015	.BK	.GY	-
40 1.57"	20 0.79"	12 0.47"	5 0.20"	1-2 0.04-0.08"	4.5	FTP.020.040.OV.W1020	.BK	.GY	-
35 1.38"	25 0.98"	12 0.47"	5 0.20"	1-2 0.04-0.08"	4.5	FTP.025.035.OV.W1020	.BK	.GY	-
50 1.97"	30 1.18"	15 0.59"	5 0.20"	1-2 0.04-0.08"	7.6	FTP.030.050.OV.W1020	.BK	.GY	-



MATERIALS polyethylene (PE)

VARIATIONS 13


ONLINE superiorglide.com/product/oval-tube-plugs/

TUBE PLUGS & END CAPS

Extended Oval Tube Plugs

Extended shank · oval tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	○ White RAL 9003
30 1.18"	15 0.59"	13 0.51"	5 0.20"	1-1.5 0.04-0.06"	3.2	FTPX.015.030.OV.W1015	.BK	.WH



MATERIALS polyethylene (PE)

VARIATIONS 2


ONLINE superiorglide.com/product/extended-oval-tube-plugs/

TUBE PLUGS & END CAPS

Domed Oval Tube Plugs

Domed head · oval tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
40 1.57"	15 0.59"	12 0.47"	7 0.28"	1-1.5 0.04-0.06"	4.6	FTPD.015.040.0V.W1015	.BK	—
40 1.57"	20 0.79"	12 0.47"	10 0.39"	1.5-2 0.06-0.08"	5.2	FTPD.020.040.0V.W1520	.BK	.GY
50 1.97"	25 0.98"	14 0.55"	13 0.51"	1.5-2 0.06-0.08"	7.9	FTPD.025.050.0V.W1520	.BK	.GY




MATERIALS polyethylene (PE) **VARIATIONS** 5 **ONLINE** superiorglide.com/product/domed-oval-tube-plugs/

TUBE PLUGS & END CAPS

Angled Oval Tube Plugs

Angled · splayed oval legs

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	α ANGLE	Mat. MATERIAL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
40 1.57"	20 0.79"	12 0.47"	5 0.20"	1.5-2 0.06-0.08"	18°	nylon	6.7	FTPAN.020.040.0V.W1520.A18	.BK	.GY
60 2.36"	30 1.18"	16 0.63"	5 0.20"	1.5-2.5 0.06-0.10"	9°	polyethylene	10.8	FTPAN.030.060.0V.W1525.A9	.BK	.GY




MATERIALS polyethylene (PE) or nylon (PA), by size — see Mat. column **VARIATIONS** 4 **ONLINE** superiorglide.com/product/angled-oval-tube-plugs/

TUBE PLUGS & END CAPS

Angled Oval Tube Plugs with Pad Slot

Angled with pad slot · oval tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD, LOW SIDE	H2 HEAD, HIGH SIDE	T TUBE WALL	α ANGLE	Ø4 PAD SLOT Ø	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
35 1.38"	25 0.98"	12 0.47"	5 0.20"	14 0.55"	1.5-2.5 0.06-0.10"	15°	20 0.79"	9.6	FTPANPS.025.035.0V.W1525.A15	.BK	.GY




MATERIALS nylon (PA) **VARIATIONS** 2 **ONLINE** superiorglide.com/product/angled-oval-tube-plugs-with-pad-slot/

TUBE PLUGS & END CAPS

Ellipse Tube Plugs

Push-in · ellipse tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	○ White RAL 9003
30 1.18"	15 0.59"	12 0.47"	5 0.20"	1.5-2 0.06-0.08"	2.5	FTP.015.030.EL.W1520	.BK	.WH
40 1.57"	20 0.79"	12 0.47"	5 0.20"	1-2 0.04-0.08"	4.1	FTP.020.040.EL.W1020	.BK	.WH




MATERIALS polyethylene (PE) **VARIATIONS** 4 **ONLINE** superiorglide.com/product/ellipse-tube-plugs/

TUBE PLUGS & END CAPS

Domed Ellipse Tube Plugs

Domed head · ellipse tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
30 1.18"	15 0.59"	13 0.51"	5 0.20"	1.5-2 0.06-0.08"	2.5	FTPD.015.030.EL.W1520	.BK	.GY	.WH
35 1.38"	20 0.79"	13 0.51"	6 0.24"	1-2 0.04-0.08"	4.2	FTPD.020.035.EL.W1020	.BK	—	.WH




MATERIALS polyethylene (PE) **VARIATIONS** 5 **ONLINE** superiorglide.com/product/domed-ellipse-tube-plugs/

TUBE PLUGS & END CAPS

Thin Head Ellipse Tube Plugs

Thin head · ellipse tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
30 1.18"	15 0.59"	12 0.47"	3 0.12"	1-2 0.04-0.08"	2.2	FTPTH.015.030.EL.W1020	.BK	.GY	.WH
40 1.57"	20 0.79"	12 0.47"	3 0.12"	1-2 0.04-0.08"	3.2	FTPTH.020.040.EL.W1020	.BK	.GY	.WH



MATERIALS polyethylene (PE) **VARIATIONS** 6 **ONLINE** superiorglide.com/product/thin-head-ellipse-tube-plugs/

TUBE PLUGS THAT TAKE AN ADJUSTABLE LEVELING FOOT



Threaded Inserts

Nylon plugs with a galvanized or stainless steel threaded insert. Press into the tube, then screw in a leveling foot from the next section. SL is the static load capacity per piece.

Match the thread (M) of the insert to the thread of the leveling foot.

Round Threaded Inserts

Extended Round Threaded Inserts

Square Threaded Inserts

Extended Square Threaded Inserts

Stainless Steel Square Threaded Inserts

Rectangular Threaded Inserts


52 STANDARD VARIATIONS

THREADED INSERTS

Round Threaded Inserts

Round tube

Ø TUBE Ø	H SHANK	H1 HEAD	T TUBE WALL	M THREAD	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
28 1.10"	15 0.59"	5 0.20"	1-2 0.04-0.08"	M6	60 kg 132 lb	9.3	FTI.28.RD.W1020.M6	.BK	—	.WH
28 1.10"	15 0.59"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	10.8	FTI.28.RD.W1020.M8	.BK	—	—
40 1.57"	13 0.51"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	16.3	FTI.40.RD.W1020.M8	.BK	—	—
40 1.57"	13 0.51"	5 0.20"	1-2 0.04-0.08"	M10	120 kg 265 lb	22.3	FTI.40.RD.W1020.M10	.BK	—	—
40 1.57"	12 0.47"	5 0.20"	1-2 0.04-0.08"	M12	150 kg 331 lb	27.8	FTI.40.RD.W1020.M12	.BK	.GY	—
50 1.97"	14 0.55"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	21.2	FTI.50.RD.W1020.M8	.BK	—	—
50 1.97"	14 0.55"	5 0.20"	1-2 0.04-0.08"	M10	120 kg 265 lb	27.1	FTI.50.RD.W1020.M10	.BK	—	—



MATERIALS nylon (PA), galvanized steel

VARIATIONS 9


ONLINE superiorglide.com/product/round-threaded-inserts/

THREADED INSERTS

Extended Round Threaded Inserts

Extended shank · round tube

Ø TUBE Ø	H SHANK	H1 HEAD	T TUBE WALL	M THREAD	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
35 1.38"	14 0.55"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	13.9	FTIX.35.RD.W1020.M8	.BK



MATERIALS nylon (PA), galvanized steel

VARIATIONS 1


ONLINE superiorglide.com/product/extended-round-threaded-inserts/

THREADED INSERTS

Square Threaded Inserts

Square tube

L	W	H	H1	T	M	SL	g	Part no.	Black	Gray	White
TUBE LENGTH	TUBE WIDTH	SHANK	HEAD	TUBE WALL	THREAD	STATIC LOAD	WEIGHT	ADD COLOR CODE	RAL 9005	RAL 7040	RAL 9003
20 0.79"	20 0.79"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	8.5	FTI.20.SQ.W1020.M8	.BK	.GY	.WH
25 0.98"	25 0.98"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	11.3	FTI.25.SQ.W1020.M8	.BK	.GY	—
30 1.18"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	14.1	FTI.30.SQ.W1020.M8	.BK	.GY	.WH
30 1.18"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M10	120 kg 265 lb	19.6	FTI.30.SQ.W1020.M10	.BK	.GY	.WH
30 1.18"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M12	150 kg 331 lb	25.4	FTI.30.SQ.W1020.M12	.BK	—	—
40 1.57"	40 1.57"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	19.6	FTI.40.SQ.W1020.M8	.BK	.GY	—
40 1.57"	40 1.57"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M10	120 kg 265 lb	26.3	FTI.40.SQ.W1020.M10	.BK	.GY	.WH
40 1.57"	40 1.57"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M12	150 kg 331 lb	31.1	FTI.40.SQ.W1020.M12	.BK	.GY	—
45 1.77"	45 1.77"	14 0.55"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	21.5	FTI.45.SQ.W1020.M8	.BK	.GY	—
50 1.97"	50 1.97"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	25.1	FTI.50.SQ.W1020.M8	.BK	.GY	.WH
50 1.97"	50 1.97"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M10	120 kg 265 lb	30.9	FTI.50.SQ.W1020.M10	.BK	—	—



MATERIALS nylon (PA), galvanized steel

VARIATIONS 25


ONLINE superiorglide.com/product/square-threaded-inserts/

THREADED INSERTS

Extended Square Threaded Inserts

Extended shank · square tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	M THREAD	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
40 1.57"	40 1.57"	16 0.63"	13 0.51"	1-2 0.04-0.08"	M8	80 kg 176 lb	23.7	FTIX.40.SQ.W1020.M8	.BK	.GY	.WH
60 2.36"	60 2.36"	16 0.63"	12 0.47"	1-2 0.04-0.08"	M8	80 kg 176 lb	34.7	FTIX.60.SQ.W1020.M8	.BK	.GY	—



MATERIALS nylon (PA), galvanized steel

VARIATIONS 5


ONLINE superiorglide.com/product/extended-square-threaded-inserts/

THREADED INSERTS

Stainless Steel Square Threaded Inserts

Stainless steel insert · square tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	M THREAD	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
30 1.18"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	14.1	FTISS.30.SQ.W1020.M8	.BK	—
30 1.18"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M10	120 kg 265 lb	19.6	FTISS.30.SQ.W1020.M10	.BK	—
40 1.57"	40 1.57"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	20.3	FTISS.40.SQ.W1020.M8	.BK	—
40 1.57"	40 1.57"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M10	120 kg 265 lb	26.1	FTISS.40.SQ.W1020.M10	.BK	.GY



MATERIALS nylon (PA), stainless steel insert

VARIATIONS 5


ONLINE superiorglide.com/product/stainless-steel-square-threaded-inserts/

THREADED INSERTS

Rectangular Threaded Inserts

Rectangular tube

L TUBE LENGTH	W TUBE WIDTH	H SHANK	H1 HEAD	T TUBE WALL	M THREAD	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
40 1.57"	20 0.79"	14 0.55"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	10.6	FTI.020.040.W1020.M8	.BK	—
50 1.97"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	18.5	FTI.030.050.W1020.M8	.BK	.GY
50 1.97"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M10	120 kg 265 lb	24.5	FTI.030.050.W1020.M10	.BK	—
60 2.36"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M8	80 kg 176 lb	21.6	FTI.030.060.W1020.M8	.BK	—
60 2.36"	30 1.18"	16 0.63"	5 0.20"	1-2 0.04-0.08"	M10	120 kg 265 lb	26.9	FTI.030.060.W1020.M10	.BK	.GY



MATERIALS nylon (PA), galvanized steel

VARIATIONS 7

ONLINE superiorglide.com/product/rectangular-threaded-inserts/

THREADED FEET FOR TABLES AND FIXED SEATING



Adjustable Leveling Feet

Nylon, acetal or elastomer bases on galvanized or stainless threaded rods. Bases run from a 13 mm mini to a 50 mm wide base; heads include fixed, self-leveling tilt, ball-joint and notched rods; metric threads M4 to M12 plus 1/4"-20 and 5/16"-18. Stainless rods for wet and food-service areas.

Ø is the base diameter, H the base height, L the usable thread length, P the pad diameter on padded versions, SL the static load capacity per foot.

Standard Base Adjustable Leveling Feet

Standard Base Adjustable Leveling Feet with Pad

Low-Profile Adjustable Leveling Feet

Low-Profile Adjustable Leveling Feet with Pad

Notched Thread Low-Profile Adjustable Leveling Feet

Ultra-Low Profile Adjustable Leveling Feet

Wide-Base Adjustable Leveling Feet

Wide-Base Anti-Slip Adjustable Leveling Feet

Slim Base Adjustable Leveling Feet

Mini Base Adjustable Leveling Feet

Smooth-Base Adjustable Leveling Feet

Smooth-Base Hex-Key Adjustable Leveling Feet

Self-Leveling Tilt Adjustable Leveling Feet

Notched Thread Standard Base Adjustable Leveling Feet

Ball-Joint Adjustable Leveling Feet

Stainless Steel Rod Standard Base Adjustable Leveling Feet

Stainless Steel Rod Low-Profile Adjustable Leveling Feet


Anti-Slip Stainless Steel Adjustable Leveling Feet

95 STANDARD VARIATIONS

ADJUSTABLE LEVELING FEET

Standard Base Adjustable Leveling Feet

Knurled nylon base · galvanized rod



Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
30 1.18"	18 0.71"	M6	10 0.39"	60 kg 132 lb	13.2	FLF .30 .M6 . L10	.BK	—	—
30 1.18"	18 0.71"	M6	20 0.79"	60 kg 132 lb	15.4	FLF .30 .M6 . L20	.BK	—	—
30 1.18"	18 0.71"	M6	25 0.98"	60 kg 132 lb	16.1	FLF .30 .M6 . L25	.BK	—	—
30 1.18"	18 0.71"	M8	10 0.39"	80 kg 176 lb	19.1	FLF .30 .M8 . L10	.BK	—	—
30 1.18"	18 0.71"	M8	28 1.10"	80 kg 176 lb	20.6	FLF .30 .M8 . L28	.BK	.GY	—
30 1.18"	18 0.71"	M8	43 1.69"	80 kg 176 lb	26	FLF .30 .M8 . L43	.BK	—	—
30 1.18"	18 0.71"	M10	28 1.10"	120 kg 265 lb	26.7	FLF .30 .M10 . L28	.BK	.GY	.WH
30 1.18"	18 0.71"	M10	43 1.69"	120 kg 265 lb	34.2	FLF .30 .M10 . L43	.BK	.GY	—
30 1.18"	18 0.71"	M10	63 2.48"	120 kg 265 lb	43.9	FLF .30 .M10 . L63	.BK	—	—
38 1.50"	19 0.75"	M6	25 0.98"	≈60 kg 132 lb	18	FLF .38 .M6 . L25	.BK	—	—
38 1.50"	19 0.75"	1/4" -20	25 0.98"	≈60 kg 132 lb	18	FLF .38 .Q1420 . L25	.BK	—	—
38 1.50"	19 0.75"	5/16" -18	25 0.98"	≈80 kg 176 lb	25	FLF .38 .Q51618 . L25	.BK	—	—
45 1.77"	19 0.75"	M8	28 1.10"	80 kg 176 lb	28.9	FLF .45 .M8 . L28	.BK	.GY	—
45 1.77"	19 0.75"	M8	43 1.69"	80 kg 176 lb	34.2	FLF .45 .M8 . L43	.BK	.GY	—
45 1.77"	19 0.75"	M8	70 2.76"	80 kg 176 lb	42.3	FLF .45 .M8 . L70	.BK	—	—
45 1.77"	19 0.75"	M8	110 4.33"	80 kg 176 lb	55.9	FLF .45 .M8 . L110	.BK	—	—
45 1.77"	19 0.75"	M10	28 1.10"	120 kg 265 lb	34.9	FLF .45 .M10 . L28	.BK	.GY	—
45 1.77"	19 0.75"	M10	35 1.38"	120 kg 265 lb	38.4	FLF .45 .M10 . L35	.BK	—	—
45 1.77"	19 0.75"	M10	43 1.69"	120 kg 265 lb	42.3	FLF .45 .M10 . L43	.BK	.GY	—

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
45 1.77"	19 0.75"	M10	60 2.36"	120 kg 265 lb	49.7	FLF . 45 . M10 . L60	.BK	—	—
45 1.77"	19 0.75"	M12	25 0.98"	150 kg 331 lb	43.2	FLF . 45 . M12 . L25	.BK	—	—
45 1.77"	19 0.75"	M12	45 1.77"	150 kg 331 lb	58.1	FLF . 45 . M12 . L45	.BK	.GY	—

MATERIALS nylon (PA), galvanized steel ≈ static load estimated from the nearest tested size; confirm for critical loads **VARIATIONS** 31


ONLINE superiorglide.com/product/standard-base-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Standard Base Adjustable Leveling Feet with Pad

Standard base with PA6 fiber pad

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	P PAD Ø	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
38 1.50"	19 0.75"	M6	25 0.98"	33 1.30"	≈60 kg 132 lb	25	FLFP . 38 . M6 . L25	.BK
38 1.50"	19 0.75"	1/4" - 20	25 0.98"	33 1.30"	≈60 kg 132 lb	26	FLFP . 38 . Q1420 . L25	.BK
38 1.50"	19 0.75"	5/16" - 18	25 0.98"	33 1.30"	≈80 kg 176 lb	29	FLFP . 38 . Q51618 . L25	.BK




MATERIALS nylon (PA) base, galvanized steel rod, PA6 needle-punched fiber pad ≈ static load estimated from the nearest tested size; confirm for critical loads

VARIATIONS 3 **ONLINE** superiorglide.com/product/standard-base-adjustable-leveling-feet-with-pad/

ADJUSTABLE LEVELING FEET

Low-Profile Adjustable Leveling Feet

Low base · galvanized rod



Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
20 0.79"	9 0.35"	M4	10 0.39"	20 kg 44 lb	4.3	FLFLP.20.M4.L10	.BK	—	—
20 0.79"	9 0.35"	M6	8 0.31"	60 kg 132 lb	6.7	FLFLP.20.M6.L8	.BK	—	—
20 0.79"	9 0.35"	M6	14 0.55"	60 kg 132 lb	7.8	FLFLP.20.M6.L14	.BK	—	—
20 0.79"	9 0.35"	M6	19 0.75"	60 kg 132 lb	8.5	FLFLP.20.M6.L19	.BK	—	.WH
28 1.10"	9 0.35"	M6	25 0.98"	≈60 kg 132 lb	13	FLFLP.28.M6.L25	.BK	—	—
28 1.10"	9 0.35"	M8	25 0.98"	≈80 kg 176 lb	20	FLFLP.28.M8.L25	.BK	—	—
28 1.10"	9 0.35"	1/4" - 20	25 0.98"	≈60 kg 132 lb	15	FLFLP.28.Q1420.L25	.BK	—	—
30 1.18"	9 0.35"	M8	10 0.39"	80 kg 176 lb	15.5	FLFLP.30.M8.L10	.BK	—	—
30 1.18"	9 0.35"	M8	14 0.55"	80 kg 176 lb	16.8	FLFLP.30.M8.L14	.BK	—	—
30 1.18"	9 0.35"	M8	18 0.71"	80 kg 176 lb	17.9	FLFLP.30.M8.L18	.BK	—	—
30 1.18"	9 0.35"	M8	28 1.10"	80 kg 176 lb	21.2	FLFLP.30.M8.L28	.BK	.GY	.WH
30 1.18"	9 0.35"	M8	33 1.30"	80 kg 176 lb	22.5	FLFLP.30.M8.L33	.BK	.GY	—
30 1.18"	9 0.35"	M8	48 1.89"	80 kg 176 lb	27.5	FLFLP.30.M8.L48	.BK	—	—
30 1.18"	9 0.35"	M10	18 0.71"	120 kg 265 lb	27.1	FLFLP.30.M10.L18	.BK	—	—
30 1.18"	9 0.35"	M10	28 1.10"	120 kg 265 lb	32.3	FLFLP.30.M10.L28	.BK	—	—
30 1.18"	9 0.35"	M10	33 1.30"	120 kg 265 lb	34.1	FLFLP.30.M10.L33	.BK	.GY	—
30 1.18"	9 0.35"	M10	50 1.97"	120 kg 265 lb	41.9	FLFLP.30.M10.L50	.BK	—	—

MATERIALS nylon (PA), galvanized steel ≈ static load estimated from the nearest tested size; confirm for critical loads

VARIATIONS 22


ONLINE superiorglide.com/product/low-profile-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Low-Profile Adjustable Leveling Feet with Pad

Low base with PA6 fiber pad

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	P PAD Ø	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
28 1.10"	9 0.35"	M6	25 0.98"	25 0.98"	≈60 kg 132 lb	13.4	FLFLPP.28.M6.L25	.BK
28 1.10"	9 0.35"	M8	14 0.55"	25 0.98"	≈80 kg 176 lb	17.1	FLFLPP.28.M8.L14	.BK
28 1.10"	9 0.35"	M8	25 0.98"	25 0.98"	≈80 kg 176 lb	20.5	FLFLPP.28.M8.L25	.BK
28 1.10"	9 0.35"	1/4"-20	25 0.98"	25 0.98"	≈60 kg 132 lb	10.4	FLFLPP.28.Q1420.L25	.BK
30 1.18"	9 0.35"	M7	25 0.98"	25 0.98"	≈60 kg 132 lb	13.4	FLFLPP.30.M7.L25	.BK
30 1.18"	9 0.35"	M8	14 0.55"	25 0.98"	80 kg 176 lb	18	FLFLPP.30.M8.L14	.BK



MATERIALS nylon (PA), galvanized steel ≈ static load estimated from the nearest tested size; confirm for critical loads **VARIATIONS** 6


ONLINE superiorglide.com/product/low-profile-adjustable-leveling-feet-with-pad/

ADJUSTABLE LEVELING FEET

Notched Thread Low-Profile Adjustable Leveling Feet

Low base · screwdriver notch in the rod

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
30 1.18"	9 0.35"	M8	35 1.38"	80 kg 176 lb	23.6	FLFLPNT.30.M8.L35	.BK




MATERIALS nylon (PA), galvanized steel **VARIATIONS** 1 **ONLINE** superiorglide.com/product/notched-thread-low-profile-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Ultra-Low Profile Adjustable Leveling Feet

6 mm base

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
25 0.98"	6 0.24"	M8	21 0.83"	80 kg 176 lb	12.1	FLFUL . 25 . M8 . L21	.BK
25 0.98"	6 0.24"	M10	20 0.79"	120 kg 265 lb	17.6	FLFUL . 25 . M10 . L20	.BK




MATERIALS nylon (PA), galvanized steel **VARIATIONS** 2 **ONLINE** superiorglide.com/product/ultra-low-profile-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Wide-Base Adjustable Leveling Feet

50 mm base · spreads the load

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
50 1.97"	11 0.43"	M8	23 0.91"	80 kg 176 lb	27.5	FLFWB . 50 . M8 . L23	—	.GY
50 1.97"	11 0.43"	M8	28 1.10"	80 kg 176 lb	28.9	FLFWB . 50 . M8 . L28	.BK	.GY




MATERIALS nylon (PA), galvanized steel **VARIATIONS** 3 **ONLINE** superiorglide.com/product/wide-base-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Wide-Base Anti-Slip Adjustable Leveling Feet

50 mm thermoplastic rubber base · anti-slip

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
50 1.97"	11 0.43"	M8	23 0.91"	80 kg 176 lb	35.2	FLFWBAS .50 .M8 .L23	.BK



MATERIALS thermoplastic rubber (TPE), galvanized steel **VARIATIONS** 1


ONLINE superiorglide.com/product/wide-base-anti-slip-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Slim Base Adjustable Leveling Feet

Slim base

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
40 1.57"	12 0.47"	M8	20 0.79"	80 kg 176 lb	20.4	FLFSL .40 .M8 .L20	.BK




MATERIALS nylon (PA), galvanized steel **VARIATIONS** 1 **ONLINE** superiorglide.com/product/slim-base-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Mini Base Adjustable Leveling Feet

13 mm acetal base

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no.
13 0.51"	6 0.24"	M6	15 0.59"	60 kg 132 lb	6.2	FLFMB.13.M6.L15
13 0.51"	6 0.24"	M6	20 0.79"	60 kg 132 lb	6.9	FLFMB.13.M6.L20




MATERIALS acetal (POM), galvanized steel **COLOR** Black **VARIATIONS** 2 **ONLINE** superiorglide.com/product/mini-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Smooth-Base Adjustable Leveling Feet

Smooth base

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
30 1.18"	9 0.35"	M8	28 1.10"	80 kg 176 lb	19.6	FLFSM.30.M8.L28	.BK
30 1.18"	9 0.35"	M8	33 1.30"	80 kg 176 lb	21.6	FLFSM.30.M8.L33	.BK
30 1.18"	9 0.35"	M10	18 0.71"	120 kg 265 lb	26.5	FLFSM.30.M10.L18	.BK
30 1.18"	9 0.35"	M10	33 1.30"	120 kg 265 lb	32.9	FLFSM.30.M10.L33	.BK




MATERIALS nylon (PA), galvanized steel **VARIATIONS** 4 **ONLINE** superiorglide.com/product/smooth-base-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Smooth-Base Hex-Key Adjustable Leveling Feet

Smooth base · hex key adjustment

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
30 1.18"	9 0.35"	M8	14 0.55"	80 kg 176 lb	16.9	FLFSMHK .30 .M8 .L14	.BK
30 1.18"	9 0.35"	M8	33 1.30"	80 kg 176 lb	18.2	FLFSMHK .30 .M8 .L33	.BK




MATERIALS nylon (PA), galvanized steel **VARIATIONS** 2 **ONLINE** superiorglide.com/product/smooth-base-hex-key-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Self-Leveling Tilt Adjustable Leveling Feet

Articulating base for uneven floors

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	α ANGLE	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
30 1.18"	10 0.39"	M8	30 1.18"	9°	80 kg 176 lb	20.9	FLFTL .30 .M8 .L30 .A9	.BK
30 1.18"	10 0.39"	M10	30 1.18"	9°	120 kg 265 lb	29.3	FLFTL .30 .M10 .L30 .A9	.BK
30 1.18"	10 0.39"	M10	50 1.97"	9°	120 kg 265 lb	38.4	FLFTL .30 .M10 .L50 .A9	.BK
48 1.89"	10 0.39"	M10	30 1.18"	9°	120 kg 265 lb	39.7	FLFTL .48 .M10 .L30 .A9	.BK
48 1.89"	10 0.39"	M10	50 1.97"	9°	120 kg 265 lb	44.7	FLFTL .48 .M10 .L50 .A9	.BK




MATERIALS nylon (PA), galvanized steel **VARIATIONS** 5 **ONLINE** superiorglide.com/product/self-leveling-tilt-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Notched Thread Standard Base Adjustable Leveling Feet

Screwdriver notch in the rod

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
30 1.18"	18 0.71"	M10	50 1.97"	120 kg 265 lb	38.2	FLFNT.30.M10.L50	.BK
45 1.77"	19 0.75"	M10	50 1.97"	120 kg 265 lb	46.2	FLFNT.45.M10.L50	.BK




MATERIALS nylon (PA), galvanized steel **VARIATIONS** 2 **ONLINE** superiorglide.com/product/notched-thread-standard-base-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Ball-Joint Adjustable Leveling Feet

Half-sphere head · swivels

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	○ White RAL 9003
10 0.39"	5 0.20"	M4	10 0.39"	20 kg 44 lb	2.1	FLFBJ.10.M4.L10	.BK	.WH
35 1.38"	19 0.75"	M8	30 1.18"	80 kg 176 lb	30.4	FLFBJ.35.M8.L30	.BK	—




MATERIALS nylon (PA), galvanized steel **VARIATIONS** 3 **ONLINE** superiorglide.com/product/ball-joint-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Stainless Steel Rod Standard Base Adjustable Leveling Feet

Stainless rod · wet areas

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
30 1.18"	18 0.71"	M6	18 0.71"	60 kg 132 lb	15.5	FLFSSR.30.M6.L18	.BK	–
30 1.18"	18 0.71"	M8	28 1.10"	80 kg 176 lb	23.5	FLFSSR.30.M8.L28	.BK	–
30 1.18"	18 0.71"	M10	28 1.10"	120 kg 265 lb	35.7	FLFSSR.30.M10.L28	–	.GY
45 1.77"	19 0.75"	M10	28 1.10"	120 kg 265 lb	46.2	FLFSSR.45.M10.L28	.BK	–
45 1.77"	19 0.75"	M10	40 1.57"	120 kg 265 lb	48.8	FLFSSR.45.M10.L40	.BK	–



MATERIALS nylon (PA), stainless steel

VARIATIONS 5


ONLINE superiorglide.com/product/stainless-steel-rod-standard-base-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Stainless Steel Rod Low-Profile Adjustable Leveling Feet

Stainless rod · low base

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
30 1.18"	9 0.35"	M8	24 0.94"	80 kg 176 lb	20.1	FLFSSRLP.30.M8.L24	.BK



MATERIALS nylon (PA), stainless steel

VARIATIONS 1


ONLINE superiorglide.com/product/stainless-steel-rod-low-profile-adjustable-leveling-feet/

ADJUSTABLE LEVELING FEET

Anti-Slip Stainless Steel Adjustable Leveling Feet

Thermoplastic rubber base · stainless rod

Ø BASE Ø	H BASE HEIGHT	M THREAD	L THREAD LENGTH	SL STATIC LOAD	g WEIGHT	Part no. ADD COLOR CODE	Blue RAL 5005
30 1.18"	9 0.35"	M8	35 1.38"	80 kg 176 lb	27.1	FLFSSAS . 30 . M8 . L35	. BL



MATERIALS thermoplastic rubber (TPE), stainless steel **VARIATIONS** 1

ONLINE superiorglide.com/product/anti-slip-stainless-steel-adjustable-leveling-feet/

FOR SLED-FRAME AND CANTILEVER CHAIRS



Sled Base Glides & Furniture Feet

Saddle bases that screw or clip onto round, rectangular and oval tube runners, end caps for sled runners, and general-purpose nylon furniture feet. Slotted versions take a PA6 fiber pad.

Ø1 is the screw hole, Ø2 the counterbore for its head, Ø3 the tube or runner the base fits, and Ø4 a round pad slot. Drawings show the shape and where each measurement is taken.

Round Tube Sled Base Glides — Rectangular Base

Round Tube Sled Base Glides — Square Base

Round Tube Sled Base Glides — Round Base (Pad Slot)

Round Tube Sled Base Glides — Square Base (Pad Slot)

Round Tube Sled Base Glides — Rectangular Base (Pad Slot)

Round Tube Corner Sled Base Glides — Rectangular Base

Round Tube Corner Sled Base Glides — Rectangular Base (Single Screw)

Round Tube Corner Sled Base Glides — Rectangular Base (Pad Slot)

Round Tube Clip-On Sled Base Glides — Rectangular Base

Round Tube End Sled Base Glides — Rectangular Base (Pad Slot)

Rectangular Tube End Sled Base Glides — Rectangular Base

Oval Tube End Sled Base Glides — Rectangular Base

Flat-Bottom Nail-On Sled Base Glides — Rectangular Base

Round Furniture Feet

32 STANDARD VARIATIONS

SLED BASE GLIDES & FURNITURE FEET

Round Tube Sled Base Glides — Rectangular Base

Screws to a round runner

L BASE LENGTH	W BASE WIDTH	H HEIGHT	H1 BASE THICKNESS	Ø1 SCREW HOLE	Ø2 COUNTERBORE	Ø3 TUBE Ø	L2 HOLE CENTER	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
25 0.98"	20 0.79"	10 0.39"	6 0.24"	5.7 0.22"	11 0.43"	20 0.79"	12.5 0.49"	3.6	FSBRB.20.RD	.BK	.GY



MATERIALS nylon (PA) **VARIATIONS** 2 **ONLINE** superiorglide.com/product/round-tube-sled-base-glides-rectangular-base/

SLED BASE GLIDES & FURNITURE FEET

Round Tube Sled Base Glides — Square Base

Screws to a round runner

L BASE LENGTH	W BASE WIDTH	H HEIGHT	H1 BASE THICKNESS	Ø1 SCREW HOLE	Ø2 COUNTERBORE	Ø3 TUBE Ø	L2 HOLE CENTER	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
25 0.98"	25 0.98"	12 0.47"	6 0.24"	5.7 0.22"	11 0.43"	25 0.98"	12 0.47"	5.3	FSQB.25.RD	.BK	.GY




MATERIALS nylon (PA) **VARIATIONS** 2 **ONLINE** superiorglide.com/product/round-tube-sled-base-glides-square-base/

SLED BASE GLIDES & FURNITURE FEET

Round Tube Sled Base Glides — Round Base (Pad Slot)

Round base with slot for a PA6 fiber pad

Ø BASE Ø	H HEIGHT	H1 BASE THICKNESS	Ø1 SCREW HOLE	Ø3 TUBE Ø	Ø4 PAD SLOT Ø	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
28 1.10"	10 0.39"	6 0.24"	5.7 0.22"	20 0.79"	20 0.79"	4.4	FSBDBP .20 .RD	.BK	.GY	.WH




MATERIALS nylon (PA) **VARIATIONS** 3 **ONLINE** superiorglide.com/product/round-tube-sled-base-glides-round-base-pad-slot/

SLED BASE GLIDES & FURNITURE FEET

Round Tube Sled Base Glides — Square Base (Pad Slot)

Square base with slot for a PA6 fiber pad

L BASE LENGTH	W BASE WIDTH	H HEIGHT	H1 BASE THICKNESS	Ø1 SCREW HOLE	Ø2 COUNTERBORE	Ø3 TUBE Ø	Ø4 PAD SLOT Ø	L2 HOLE CENTER	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
28 1.10"	28 1.10"	13 0.51"	6 0.24"	5.7 0.22"	11 0.43"	28 1.10"	20 0.79"	14 0.55"	6.1	FSBQBP .28 .RD	.BK	.GY




MATERIALS nylon (PA) **VARIATIONS** 2 **ONLINE** superiorglide.com/product/round-tube-sled-base-glides-square-base-pad-slot/

SLED BASE GLIDES & FURNITURE FEET

Round Tube Sled Base Glides — Rectangular Base (Pad Slot)

Rectangular base with slot for a PA6 fiber pad

L BASE LENGTH	W BASE WIDTH	L1 PAD SLOT LENGTH	W1 PAD SLOT WIDTH	H HEIGHT	H1 BASE THICKNESS	Ø1 SCREW HOLE	Ø2 COUNTERBORE	Ø3 TUBE Ø	L2 HOLE CENTER	C HOLE CENTERS	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040
38 1.50"	25 0.98"	30 1.18"	15.5 0.61"	12 0.47"	5 0.20"	5.7 0.22"	11 0.43"	20 0.79"	10 0.39"	16 0.63"	6.6	FSBRBP.20.RD	.BK	.GY
55 2.17"	34 1.34"	40 1.57"	20 0.79"	11 0.43"	7 0.28"	5.7 0.22"	10 0.39"	30 1.18"	15 0.59"	25 0.98"	15.6	FSBRBP.30.RD	.BK	.GY




MATERIALS nylon (PA) **VARIATIONS** 4 **ONLINE** superiorglide.com/product/round-tube-sled-base-glides-rectangular-base-pad-slot/

SLED BASE GLIDES & FURNITURE FEET

Round Tube Corner Sled Base Glides — Rectangular Base

Corner of a sled frame

L BASE LENGTH	W BASE WIDTH	H HEIGHT	H1 BASE THICKNESS	Ø1 SCREW HOLE	Ø2 COUNTERBORE	Ø3 TUBE Ø	L2 HOLE CENTER	C HOLE CENTERS	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005
72 2.83"	25 0.98"	39 1.54"	7.5 0.30"	5.7 0.22"	10 0.39"	25 0.98"	8 0.31"	53 2.09"	15.8	FSBCRB.25.RD	.BK




MATERIALS nylon (PA) **VARIATIONS** 1 **ONLINE** superiorglide.com/product/round-tube-corner-sled-base-glides-rectangular-base/

SLED BASE GLIDES & FURNITURE FEET

Round Tube Corner Sled Base Glides — Rectangular Base (Single Screw)

Corner · single screw

L BASE LENGTH	W BASE WIDTH	H HEIGHT	H1 BASE THICKNESS	Ø1 SCREW HOLE	Ø3 TUBE Ø	L2 HOLE CENTER	g WEIGHT	Part no. ADD COLOR CODE	Gray RAL 7040
74 2.91"	25 0.98"	30 1.18"	6.5 0.26"	5.7 0.22"	20 0.79"	9 0.35"	18.5	FSBCRBS.20.RD	.GY




MATERIALS nylon (PA) **VARIATIONS** 1 **ONLINE** superiorglide.com/product/round-tube-corner-sled-base-glides-rectangular-base-single-screw/

SLED BASE GLIDES & FURNITURE FEET

Round Tube Corner Sled Base Glides — Rectangular Base (Pad Slot)

Corner with slot for a PA6 fiber pad

L BASE LENGTH	W BASE WIDTH	L1 PAD SLOT LENGTH	W1 PAD SLOT WIDTH	H HEIGHT	H1 BASE THICKNESS	Ø1 SCREW HOLE	Ø2 COUNTERBORE	Ø3 TUBE Ø	L2 HOLE CENTER	C HOLE CENTERS	g WEIGHT	Part no. ADD COLOR CODE	Black RAL 9005	Gray RAL 7040
89 3.50"	34 1.34"	79 3.11"	20 0.79"	32 1.26"	5.6 0.22"	5.7 0.22"	11 0.43"	28 1.10"	13 0.51"	35 1.38"	41.6	FSBCRBP.28.RD	.BK	.GY




MATERIALS nylon (PA) **VARIATIONS** 2 **ONLINE** superiorglide.com/product/round-tube-corner-sled-base-glides-rectangular-base-pad-slot/

SLED BASE GLIDES & FURNITURE FEET

Round Tube Clip-On Sled Base Glides — Rectangular Base

Clips onto a 10 mm runner · no screws

L BASE LENGTH	W BASE WIDTH	H HEIGHT	H1 BASE THICKNESS	Ø3 RUNNER Ø	g WEIGHT	Part no. ADD COLOR CODE	White RAL 9003	Natural RAL 9001
28.5 1.12"	19 0.75"	14.5 0.57"	4.5 0.18"	10 0.39"	4.7	FSBCLRB.10.RD	.WH	.NT




MATERIALS nylon (PA) **VARIATIONS** 3 **ONLINE** superiorglide.com/product/round-tube-clip-on-sled-base-glides-rectangular-base/

SLED BASE GLIDES & FURNITURE FEET

Round Tube End Sled Base Glides — Rectangular Base (Pad Slot)

Caps the end of a round runner

L BASE LENGTH	W BASE WIDTH	L1 PAD SLOT LENGTH	W1 PAD SLOT WIDTH	H HEIGHT	H1 BASE THICKNESS	T TUBE WALL	Ø1 SCREW HOLE	Ø2 COUNTERBORE	Ø3 TUBE Ø	L2 HOLE CENTER	g WEIGHT	Part no. ADD COLOR CODE	Black RAL 9005	Gray RAL 7040
52 2.05"	32 1.26"	44 1.73"	19.5 0.77"	35 1.38"	6 0.24"	1.5-2 0.06-0.08"	5.5 0.22"	10 0.39"	28 1.10"	17 0.67"	17.5	FSBERBP.28.RD	.BK	.GY




MATERIALS nylon (PA) **VARIATIONS** 2 **ONLINE** superiorglide.com/product/round-tube-end-sled-base-glides-rectangular-base-pad-slot/

SLED BASE GLIDES & FURNITURE FEET

Rectangular Tube End Sled Base Glides — Rectangular Base

Caps the end of a rectangular runner

L BASE LENGTH	W BASE WIDTH	L3 TUBE LENGTH	W3 TUBE WIDTH	H HEIGHT	H1 BASE THICKNESS	H2 TUBE HEIGHT	T TUBE WALL	Ø1 SCREW HOLE	Ø2 COUNTERBORE	L2 HOLE CENTER	g WEIGHT	Part no. ADD COLOR CODE	Gray RAL 7040
39 1.54"	31 1.22"	34 1.34"	20 0.79"	36 1.42"	5.8 0.23"	30 1.18"	1.5-2 0.06-0.08"	5.5 0.22"	11 0.43"	8 0.31"	12.8	FSBERB.020.030	.GY




MATERIALS nylon (PA) **VARIATIONS** 1 **ONLINE** superiorglide.com/product/rectangular-tube-end-sled-base-glides-rectangular-base/

SLED BASE GLIDES & FURNITURE FEET

Oval Tube End Sled Base Glides — Rectangular Base

Caps the end of an oval runner

L BASE LENGTH	W WIDTH	L3 TUBE LENGTH	H HEIGHT	H1 BASE THICKNESS	H2 TUBE HEIGHT	T TUBE WALL	α ANGLE	Ø1 SCREW HOLE	Ø2 COUNTERBORE	L2 HOLE CENTER	g WEIGHT	Part no. ADD COLOR CODE	Gray RAL 7040
47 1.85"	20 0.79"	34 1.34"	37 1.46"	6 0.24"	30 1.18"	1.5-2 0.06-0.08"	18°	5.5 0.22"	11 0.43"	9 0.35"	12.7	FSBERB.020.030.OV	.GY
50 1.97"	25 0.98"	35 1.38"	42 1.65"	6 0.24"	35 1.38"	1.5-2 0.06-0.08"	18°	5.5 0.22"	11 0.43"	9 0.35"	17.3	FSBERB.025.035.OV	.GY
48 1.89"	30 1.18"	35 1.38"	56 2.20"	6 0.24"	50 1.97"	1.5-2 0.06-0.08"	11°	5.5 0.22"	11 0.43"	9 0.35"	22.6	FSBERB.030.050.OV	.GY




MATERIALS nylon (PA) **VARIATIONS** 3 **ONLINE** superiorglide.com/product/oval-tube-end-sled-base-glides-rectangular-base/

SLED BASE GLIDES & FURNITURE FEET

Flat-Bottom Nail-On Sled Base Glides — Rectangular Base

Nails to a flat wooden runner

L LENGTH	W WIDTH	H HEIGHT	H1 RIVET LENGTH	Ø1 RIVET Ø	C RIVET CENTERS	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	○ Natural RAL 9001	● Brown RAL 8001
45 1.77"	15 0.59"	4 0.16"	7.8 0.31"	8.2 0.32"	31 1.22"	2.9	FSBNRB.015.045	.BK	.NT	.BR




MATERIALS nylon (PA) **VARIATIONS** 3 **ONLINE** superiorglide.com/product/flat-bottom-nail-on-sled-base-glides-rectangular-base/

SLED BASE GLIDES & FURNITURE FEET

Round Furniture Feet

Push-in nylon foot

Ø FOOT Ø	H HEIGHT	Ø1 SCREW HOLE	Ø2 COUNTERBORE	g WEIGHT	Part no. ADD COLOR CODE	● Black RAL 9005	● Gray RAL 7040	○ White RAL 9003
49 1.93"	25 0.98"	5.3 0.21"	11.5 0.45"	12.9	FFT.49.RD	.BK	.GY	.WH



MATERIALS nylon (PA) **VARIATIONS** 3 **ONLINE** superiorglide.com/product/round-furniture-feet/

PRODUCT CATALOG · 2026



Glides, slides, pads, plugs and leveling feet
in standard sizes — made to order.

Superior Glide
FURNITURE FLOOR PROTECTION

Supplying furniture makers, facilities and homes nationwide.

ONLINE

superiorglide.com
sales@superiorglide.com

PHONE

407.347.3219

ADDRESS

1401 Beulah Road, Suite 112
Winter Garden, FL 34787

Dimensions are nominal and subject to normal manufacturing tolerance. Specifications may change without notice. Test adhesive products on the actual leg material before full installation; allow 48 hours for full cure. Nail-on products are for solid wood legs with vertical grain.